



TP-Link SX6632YF Netzwerk Switch Managed L2+/L3 Schwarz

Marke : TP-Link

Artikel-Code: SX6632YF

Produktname : SX6632YF

TP-Link SX6632YF. Switch-Typ: Managed, Switch-Ebene: L2+/L3. Console port: RJ-45. MAC Adresstablengröße: 128000 Eintragungen, Routing-/Switching-Kapazität: 820 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1ad, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ad, IEEE 802.3ah. Rack-Einbau



Management features		Multicast features	
Switch-Typ *	Managed	Multicast Unterstützung	✓
Switch-Ebene	L2+/L3	Protokolle	
Quality of Service (QoS) support	✓	Management-Protokolle	SNMPv1/v2c/v3
Web-based management	✓	Design	
Cloud-verwaltet	✓	Rack-Einbau *	✓
ARP-Inspektion	✓	Stackable *	✓
Konnektivität		Produktfarbe	Schwarz
Basic Switching RJ-45 Ethernet Ports-Typ *	✗	Anzahl der Lüftungen	4 Lüfter
Menge SFP-Modul-Steckplätze	6	Performance	
Menge Modul-Steckplätze SFP+	26	Mindestsystemvoraussetzungen	Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ / Windows 7/8/10/11, MAC® OS, NetWare®, UNIX® /Linux.
Anzahl der USB Typ-A-Anschlüsse	2	Energiemanagement	
USB Typ-C Anzahl Anschlüsse	1	Energiequelle *	AC
Anzahl der Management-Ports	1 Stück(e)	Redundantes Netzteil	✓
Console port	RJ-45	Anzahl Stromversorgung	2
Netzwerk		AC input voltage	100 - 240 V
Netzstandard *	IEEE 802.1Q, IEEE 802.1ad, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ad, IEEE 802.3ah	AC input frequency	50/60 Hz
10G support *	✓	Power over Ethernet (PoE)	
Port mirroring	✓	Energie Über Ethernet (PoE) Unterstützung *	✗
IP routing	✓	Betriebsbedingungen	
VLAN support	✓	Temperaturbereich bei Betrieb	-5 - 40 °C
Virtuelle LAN-Funktionen	MAC address-based VLAN, Multicast VLAN, Private VLAN, Protocol-based VLAN, Voice VLAN	Temperaturbereich bei Lagerung	-40 - 70 °C
		Luftfeuchtigkeit bei Betrieb	10 - 90%
Datenübertragung			
Routing-/Switching-Kapazität *	820 Gbit/s		


Datenübertragung		Betriebsbedingungen	
Forwarding rate	610,1 Mpps	Luftfeuchtigkeit (ausser Betrieb)	5 - 90%
MAC Adresstabellengrösse *	128000 Eintragungen	Gewicht u. Abmessungen	
Jumbo Frames Unterstützung	✓	Breite	440 mm
Jumbo-Frames	9000	Tiefe	380 mm
Datenpaket-Pufferspeicher	8 MB	Höhe	44 mm
Sicherheit		Verpackungsinhalt	
DHCP-Funktionen	DHCP Option 82	Kabel eingeschlossen	Leistung
Access Control List (ACL)	✓	Schnellstartübersicht	✓
IGMP snooping	✓	Rackmontageset	✓
MAC address filtering	✓		
Static Port Security	✓		
ssh/ssl support	✓		



4895252501315



4895252501322



0840030705816



840030705816

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.