



## D-Link DIR-865L/B wireless router Gigabit Ethernet Black

**Brand :** D-Link

**Product code:** DIR-865L/B

**Product name :** DIR-865L/B



Wireless AC1750 Dual Band Gigabit Cloud Router, IEEE 802.11a/g/n, 4x Gigabit Ethernet Ports, DC 12V

[D-Link DIR-865L/B wireless router Gigabit Ethernet Black:](#)

Today's households are connecting more devices to the Internet than ever before – with more and more iPhones, Androids, tablets, and laptops laying around in any given home, it's important that each device gets the speed and coverage it deserves.

By upgrading your current network to wireless AC with the DIR-865L, you can immediately enjoy the benefits of faster wireless speeds and increased home coverage - all with less wireless interference so you can enjoy doing what you love most. Delivering Wi-Fi dual band speeds of up to 1750Mbps, the DIR-865L is the perfect solution for those looking to enjoy lag-free gaming, seamless HD video streaming and lightning-fast file transfers – all with less wireless interference.

WAN connection		Security	
Ethernet WAN *	✓	Network address translation (NAT)	✓
Wireless LAN features		Protocols	
Wi-Fi band *	✗	Universal Plug and Play (UPnP)	✓
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Design	
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11g, Wi-Fi 4 (802.11n)	Product colour	Black
Network		LED indicators	✓
Ethernet LAN *	✓	Antenna	
Ethernet LAN interface type *	Gigabit Ethernet	Antenna design *	Internal
Ethernet LAN data rates	10,100,1000 Mbit/s	Power	
Cabling technology	10/100/1000Base-T(X)	Output voltage	12 V
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Operational conditions	
Mobile network		Operating temperature (T-T)	0 - 40 °C
3G	✗	Operating relative humidity (H-H)	10 - 90%
4G	✗	Weight & dimensions	
Ports & interfaces		Width	71 mm
Ethernet LAN (RJ-45) ports *	4	Depth	165 mm
DC-in jack	✓	Height	249 mm
Management features		Weight	562,5 g
Web-based management	✓	Other features	
Quality of Service (QoS) support	✓	Mobile network connection	✗
Reset button	✓	USB ports quantity	1
Security		Input current	2 A
Security algorithms	WPA, WPA2, WPS	Frequency band	2.4 & 5
Stateful Packet Inspection (SPI)	✓	Rack mounting	✗
		xDSL connection	✗

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.