

## HP LaserJet Pro M1536dnf Laser A4 1200 x 1200 DPI 25 ppm

Brand : HP Product family: LaserJet Product code: CE538A

Product name: Pro M1536dnf

LaserJet Pro M1536dnf Multifunction Printer, Print/copy/scan/fax, 25 ppm, Hi-Speed USB 2.0, Ethernet, 11.7kg

HP LaserJet Pro M1536dnf. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Product colour: Black





Printing		Network	
Duplex printing mode Print technology * Printing *	Auto Laser Mono printing	Supported network protocols (IPv4)	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1; HTTP
Duplex printing *	✓	Mobile printing technologies	Apple AirPrint, HP ePrint
Maximum resolution *	1200 x 1200 DPI	Performance	
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Maximum internal memory	128 MB
Time to first page (black, normal)	8,5 s	Memory slots	1
Copying		Card reader integrated	×
Copying * Maximum copy resolution * Copy speed (black, normal quality,	Mono copying 600 x 600 DPI	Internal memory * Compatible memory cards Built-in processor	128 MB Not supported ✓
A4)	25 cpm	Processor family	NXP ColdFire V5x
Maximum number of copies	99 copies	Processor frequency	500 MHz
Copier resize	25 - 400%	Mac compatibility	✓
Scanning		Design	
Scanning * Optical scanning resolution * Maximum scan area Scanner type * Scan to	Colour scanning 1200 x 1200 DPI Legal (216 x 356) Flatbed & ADF scanner File, Image	Product colour *  Market positioning *  Built-in display *  Display  Display number of lines	Black Home & office  ✓ LCD 2 lines
Image formats supported	JPG, PNG, TIF	Power	
Greyscale levels 2 TWAIN version 1	24 bit 203 1,9 15 ppm	Power consumption (average operating) Power consumption (PowerSave) Power consumption (off)	445 W 4,7 W 0,2 W
Fax		AC input voltage	100 - 240 V
Faxing *	Mono faxing	AC input frequency	50 - 60 Hz

Fax transmission speed 3 s.ec/page supported s				
Fax transmission speed   3,5 eChapae   3,5	Fax			
Modem speed         3.3 k Natics         Mac operating systems supported / Sex memory         / Very Case with minimum RAM         Windows Server 2003, Windows Server 2008, Windows Server 2004, Windows Server 2008, Windows	Fax resolution (black) Fax transmission speed			<b>✓</b>
Auto-redialing	Modem speed	· =	Mac operating systems supported	✓
Fax speed dialing (max numbers) Fax foreording	Fax memory	400 pages	Linux operating systems supported	✓
Fax forwarding         /         Minimum RAM         1024 MB           Fax broadcasting         119 locations         Minimum storage drive space         200 MB           Fax delayed sending         /         Operating relative humidity (Pt-H)         10 - 80%           Peatures         Storage temperature (T-T)         -20 - 40 °C           Recommended duty cycle         8000 pages per month         Storage temperature (T-T)         15 - 32,5 °C           Maximum duty cycle         8000 pages per month         Storage temperature (T-T)         15 - 32,5 °C           Digital sender         X         Sustainability         10 - 90%           Number of print cartridges         1         Sustainability certificates         ENERGY STAR           Printing colours         Black         Weight & dimensions         441 mm           All-In-One-multitasking         Vidith         441 mm         441 mm           Input capacity         100 sheets         Weight         373 mm         441 mm           Total output capacity         100 sheets         Package width         597 mm         482 mm           Paper handling         416 x 356 mm         Package depth         497 mm         497 mm           Maximum up int size         216 x 356 mm         Package weight         14.7 kg	Auto-redialing		Server operating systems supported	
Fax broadcasting 119 locations Minimum storage drive space 200 MB Fax delayed sending 7 Per Section 1 GHz Per Storage drive space 1 GHz Per Storage temperature (T-T) 15 - 80% Per Storage temperature (T-T) 15 - 32.5 °C Per Storage relative humidity (H-H) 10 - 90% Per Storage relative humidity (H-H) 10	· -		Minimum RAM	1024 MB
Fax delayed sending  Peatures  Storage temperature (T-T)  According 15 - 32,5 °C  Digital sender  X  Sustainability  Printing colours *  Page description languages  PL Sc, PCL 6, PostScript 3  Weight & dimensions  Input & output capacity *  Total input capacity *  Total output capacity *  Total output capacity *  Paper handling  Maximum ISO A-series paper size *  Ad A, AS, A6  Bo A-series sizes (AOA9) *  Ad A, S, A6  BO B-series sizes (COC9)  CD S-series sizes (COC9)  CD, CG, CG, DL  Custom media width  Total sign it media sizes  Legal  Non-ISO print media sizes  Encycled paper, Transparencies  Drivers included  Total sizes  CD, CG, DL  Printer management  HP Toolbox FX  Sundamantify  Al And So, AG  Custom media width  Total custom media width  Total custom media width  Total control	, and the second		Minimum storage drive space	200 MB
Security	J .		Minimum processor	1 GHz
Recommended duty cycle 2000 Operating temperature (T-T) 15 - 32,5 °C Maximum duty cycle 8000 pages per month 5torage relative humidity (H-H) 15 - 32,5 °C Maximum duty cycle 8000 pages per month 5torage relative humidity (H-H) 15 - 32,5 °C Maximum duty cycle 8000 pages per month 5torage relative humidity (H-H) 15 - 32,5 °C Maximum duty cycle 8000 pages per month 5torage relative humidity (H-H) 15 - 32,5 °C Maximum of print cartridges 1 1  Number of print cartridges 9 1 1  Number	, ,	1	Operational conditions	
Recommended duty cycle 2000 Operating temperature (T-T) 15 - 32,5 °C C Maximum duty cycle 8000 pages per month 5torage relative humidity (H-H) 10 - 90% Digital sender X Storage relative humidity (H-H) 10 - 90% Digital sender Number of print cartridges 1 Printing colours 8 Black Storage relative humidity certificates ENERGY STAR Printing colours 9 Black Weight 6t dimensions Alt I mm Depth 343 mm Height 343 mm Height 373 mm Unity capacity 100 sheets Weight 373 mm 11,7 kg 101 height 373 mm Package depth 497 mm Package depth 497 mm Package depth 497 mm Maximum unty tapacity 100 sheets Package depth 497 mm Package depth 497 mm Package depth 497 mm Package depth 497 mm Package weight 14,7 kg Package height 467 mm Package heigh	J		Operating relative humidity (H-H)	10 - 80%
Maximum duty cycle * 8000 pages per month  Digital sender  X Number of print cartridges * 1 Printing colours * Black Page description languages All-in-One-multitasking  Potal input & dimensions  All-in-One-multitasking  Z 50 sheets Page and output capacity Total input capacity Total input capacity Total output capacity Total output capacity  Naximum output capacity  Paper handling  Paper handling  Raximum print size  Al A 4 A 5 A 6  ISO A-series sizes (80A9)*  ISO A-series sizes (80A9)*  Al A 5, A 6  ISO Se-series sizes (CoC9)  CS - C6  Non-ISO print media sizes  Legal  Non-ISO print media sizes  Custom media weight  76 - 216 mm  Custom media weight  76 - 216 mm  Duplex media weight  60 - 163 g/m²  Al and colour scanning  Paper with and colour scanning  Paper with and colour scanning  Al A 6 Card  Paper with and colour scanning  Paper tray media weight  70 - 216 mm  Custom media length  10 - 90%  Elee ROC STAR  Sustainability  Weight & dimensions  Package depth 437 mm  Package depth 497 mm  Package depth 497 mm  Package depth 497 mm  Package depth 497 mm  Package weight 467 mm  Package weight 14,7 kg  Package weight 14,7 kg  Package weight 24,7 k		2000	- '	
Digital sender X Number of print cartridges* 1 Printing colours* Black Page description languages PCL 5c, PCL 6, PostScript 3 All-in-One-multitasking PCL 5c, PCL 6, PostScript 3 All-in-One-functions PCL 5c, PCL 6, PCL 6c, PCL 6c	• •			
Number of print cartridges* 1 Printing colours* Black Page description languages PCL 5c, PCL 6, PostScript 3  Width 441 mm  Maximum output capacity* 250 sheets Paper handling Maximum sion Asserties paper size* AM Maximum print size Paper tray media types* Labels, Matte paper, Plain paper, Recycled paper, Transparencies LiSO A-series sizes (A0A9)* AA, A5, A6  ISO B-series sizes (C0C9)  ISO S-cries sizes (C0C9)  ISO C5, C6, DL Printer management Printer mana	• •		Storage relative humidity (H-H)	10 - 90%
Printing colours * Black	_		Sustainability	
Page description languages     PCL 5c, PCL 6, PostScript 3     Weight & dimensions       All-In-One-multitasking     ✓     Width     441 mm       Input & output capacity     Depth     343 mm       Total input capacity*     100 sheets     Weight     11,7 kg       Maximum output capacity*     100 sheets     Packaging data       Paper handling     Package width     597 mm       Maximum ISO A series paper size *     A4     Package depth     497 mm       Maximum print size     16 x 356 mm     Package height     467 mm       Maximum print size     150 x 356 mm     Packaging content       ISO A-series sizes (80A9)*     A4, A5, A6     Packaging content       ISO B-series sizes (80B9)     B5, B6     Drivers included     ✓       ISO C-series sizes (80B9)     B5, B6     Other features       ISO C-series sizes (80C9)     C5, C6     Hardware scan resolution     1200 x 1200 DPI       Non-ISO print media sizes     Legal     Network ready     ✓       Envelopes sizes     C5, C6, DL     Printer management     HP Toolbox FX       Custom media width     76 - 216 mm     Standard output capacity for transparencies     10 sheets       Paper tray media weight     60 - 163 g/m²     A6 Card     ✓       Ports & Interfaces     Ethernet, USB 2.0<			Sustainability certificates	ENERGY STAR
Input & output capacity     Depth Height     343 mm       Total input capacity *     250 sheets     Weight     11,7 kg       Total output capacity *     100 sheets     Packaging data       Paper handling     Package width     597 mm       Maximum ISO A-series paper size *     A4     Package depth     497 mm       Maximum print size     Bond paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Recycled paper, Plain paper, Recycled paper, Transparencies     Packaging content     14,7 kg       ISO A-series sizes (A0A9) *     A4, A5, A6     Other features     Drivers included     ✓       ISO A-series sizes (B0B9)     B5, B6     Other features     Drivers included     ✓       ISO C-series sizes (C0C9)     C5, C6     Hardware scan resolution     1200 x 1200 DPI       Non-ISO print media sizes     Legal     Network ready     ✓       Custom media width     76 - 216 mm     Standard output capacity for transparencies     10 sheets       Custom media wight     60 - 163 g/m²     A6 Card     ✓       Ports & interfaces     Ethernet, USB 2.0     Maximum scan area (ADF)     216 x 356 mm       USB port     ✓     Minimum scan area (ADF)     102 x 127 mm       USB port     ✓     Colour scanning     ✓       USB 2.0 ports quantity     1     Colour scann			Weight & dimensions	
Height 373 mm  Total input capacity * 100 sheets  Maximum output capacity * 100 sheets  Maximum output capacity * 100 sheets  Paper handling  Maximum ISO A-series paper size * A4  Maximum print size  Paper tray media types * Labels, Matte paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Recycled paper, Transparencies  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9) B5, B6  ISO C-series sizes (C0C9) C5, C6  Mon-ISO print media sizes  Legal  Network ready  Ports & interfaces  Ethernet, USB 2.0  Namium scan area (ADF)  Network  Weight  11,7 kg  12,7 km  Package weight Package height Package deight Package height Package height Package beight	All-In-One-multitasking	<b>✓</b>	Width	441 mm
Total input capacity * 250 sheets Weight 373 mm  Weight 11,7 kg  Total output capacity * 100 sheets Weight 597 mm  Packaging data  Paper handling 597 mm  Maximum ISO A-series paper size * A4  Maximum print size 216 x 356 mm  Bond paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Recycled paper, Transparencies paper size * A4, A5, A6  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9) B5, B6  ISO C-series sizes (C0C9) C5, C6 Hardware scan resolution 1200 x 1200 DPI  Non-ISO print media sizes Legal Network ready ✓  Envelopes sizes C5, C6, DL Printer management HP Toolbox FX  Custom media width 76 - 216 mm  Custom media weight 60 - 163 g/m² A6 Card ✓  Paper tray media weight 60 - 163 g/m² A6 Card ✓  Paperts & interfaces Ethernet, USB 2.0 Minimum scan area (ADF) 102 x 127 mm  All-in-one functions Capacity for transparencies Scan Colour scanning Copy, Fax, Print, Scan Colour scanning Colour scanning Copy, Fax, Print, Scan Colour scanning Colou	Input & output capacity		Depth	343 mm
Total output capacity * 100 sheets  Maximum output capacity 100 sheets  Packaging data  Package width 597 mm Package depth 497 mm Maximum ISO A-series paper size * A4 Maximum print size 216 x 356 mm Maximum print size 216 x 356 mm Maximum print size 216 x 356 mm Package height 467 mm Package weight 14,7 kg  Paper tray media types * Labels, Matte paper, Plain paper, Recycled paper, Transparencies Paper sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9) B5, B6  ISO C-series sizes (C0C9) C5, C6 Hardware scan resolution 1200 x 1200 DPI Non-ISO print media sizes Legal Network ready ✓  Envelopes sizes C5, C6, DL Printer management HP Toolbox FX  Custom media width 76 - 216 mm Standard output capacity for transparencies Paper tray media weight 60 - 163 g/m² A6 Card ✓  Duplex media weight 60 - 105 g/m² Handset X  Ports & interfaces Ethernet, USB 2.0 Minimum scan area (ADF) 102 x 127 mm  All-in-one functions Copy, Fax, Print, Scan Colour all-in-one functions Scan Colour Scan Colo		250 sheets	Height	373 mm
Maximum output capacity  Paper handling  Maximum ISO A-series paper size * A4  Maximum print size  Paper tray media types * Labels, Matte paper, Plain paper, Recycled paper, Transparencies  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9) B5, B6  ISO C-series sizes (B0B9) B5, B6  Non-ISO print media sizes  Legal  Network ready  A7 - 216 mm  A7 - 216 mm  A8 - 210 mm  A9 - 210 mm	' ' '		Weight	11,7 kg
Paper handling       Package width       597 mm         Maximum ISO A-series paper size *       A4       Package depth       497 mm         Maximum print size       216 x 356 mm       Package height       467 mm         Paper tray media types *       Bond paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Recycled paper, Transparencies       Packagim content       14,7 kg         ISO A-series sizes (30A9) *       A4, A5, A6       Drivers included       ✓         ISO B-series sizes (60S9)       B5, B6       Other features       1200 x 1200 DPI         ISO C-series sizes (C0C9)       C5, C6       Hardware scan resolution       1200 x 1200 DPI         Non-ISO print media sizes       Legal       Network ready       ✓         Custom media width       76 - 216 mm       Standard output capacity for transparencies       10 sheets         Custom media length       217 - 355 mm       Standard output capacity for transparencies       10 sheets         Paper tray media weight       60 - 163 g/m²       A6 Card       ✓         Ports & interfaces       Ethernet, USB 2.0       Maximum scan area (ADF)       102 x 127 mm         Standard interfaces       Ethernet, USB 2.0       Minimum scan area (ADF)       102 x 127 mm         USB port       ✓       Colour scanning <t< td=""><td></td><td></td><td>Packaging data</td><td></td></t<>			Packaging data	
Maximum ISO A-series paper size * A4  Maximum print size  216 x 356 mm  Bond paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Package weight  14,7 kg  Package weight  14,7 kg  Packaging content  Recycled paper, Transparencies  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9)  ISO C-series sizes (C0C9)  IEO C-series sizes (C0C9)  ISO C-series sizes (C0C9)  ISO C-series sizes (C0C9)  IEO C-series sizes (C0C9)  IEO C-series irlunded  IEO C-series irlunded  IEEE 802.3, IEEE 802.3u	Paner handling		Package width	597 mm
Maximum print size  216 x 356 mm Bond paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Recycled paper, Transparencies  SO A-series sizes (A0A9)*  A4, A5, A6  SO B-series sizes (B0B9)  B5, B6  SO C-series sizes (C0C9)  Non-ISO print media sizes  Legal  Network ready  Fackage meight  Package weight  Package meight  Package weight  Package meight  Package neight  Package nei		Δ4		497 mm
Bond paper, Card stock, Envelopes, Labels, Matte paper, Plain paper, Recycled paper, Transparencies ISO A-series sizes (AOA9)* A4, A5, A6 ISO B-series sizes (BOB9) B5, B6 ISO C-series sizes (COC9) C5, C6 Hardware scan resolution Non-ISO print media sizes Legal Network ready Intermanagement Standard output capacity for transparencies Paper tray media weight One - 163 g/m² Paper tray media weight One - 105 g/m² Handset Ports & interfaces Standard interfaces USB 2.0 Whithing a media weight USB 2.0 Whithing a media weight Network  Networking standards  Networking standards  Networking standards  Network  Networking standards  Network  Networking standards  Networking standards  Network  Networking standards	• •			
Paper tray media types *       Labels, Matte paper, Plain paper, Recycled paper, Transparencies       Packaging content         ISO A-series sizes (A0A9) *       A4, A5, A6       Drivers included       ✓         ISO B-series sizes (B0B9)       B5, B6       Other features       Uso x 1200 DPI         ISO C-series sizes (C0C9)       C5, C6       Hardware scan resolution       1200 x 1200 DPI         Non-ISO print media sizes       Legal       Network ready       ✓         Envelopes sizes       C5, C6, DL       Printer management       HP Toolbox FX         Custom media width       76 - 216 mm       Standard output capacity for transparencies       10 sheets         Custom media length       217 - 355 mm       transparencies       10 sheets         Paper tray media weight       60 - 163 g/m²       A6 Card       ✓         Ports & interfaces       Ethernet, USB 2.0       Maximum scan area (ADF)       216 x 356 mm         Standard interfaces       Ethernet, USB 2.0       Minimum scan area (ADF)       102 x 127 mm         USB port       ✓       All-in-one functions       Copy, Fax, Print, Scan         USB 2.0 ports quantity       1       Colour salning       ✓         Network       X       Legal       ✓         Wired       X       Legal			Package weight	14,7 kg
ISO A-series sizes (A0A9)* A4, A5, A6  ISO B-series sizes (B0B9) B5, B6  ISO C-series sizes (C0C9) C5, C6  Non-ISO print media sizes  Legal  Network ready  Envelopes sizes  C5, C6, DL  Printer management  HP Toolbox FX  Custom media width  76 - 216 mm  Standard output capacity for transparencies  Paper tray media weight  60 - 163 g/m²  A6 Card  Ports & interfaces  Standard interfaces  Ethernet, USB 2.0  Minimum scan area (ADF)  Minimum scan area (ADF)  Minimum scan area (ADF)  Doy, Fax, Print, Scan  Colour scanning  Connectivity technology  Wired  Wi-Fi *  X  Ethernet LAN *  WA A5, A6  Other features  Other features  Other features  Other features  Other features  Other features  Divers included  Other features  Other features  Other features  Divers included  Other features  Other features  Divers included  Other features  Divers included  Other features  Other features  Divers included  Other features  Divers included  Divers includes  Divers inclused  Divers incluse in incluse in packets  Divers incluse in packets  Divers incluse in packets  Divers	Paper tray media types *	Labels, Matte paper, Plain paper,		
ISO C-series sizes (COC9)  C5, C6  Non-ISO print media sizes  Legal  Network ready  Finvelopes sizes  C5, C6, DL  Printer management  For - 216 mm  Custom media width  Custom media length  Paper tray media weight  Duplex media weight  For - 105 g/m²  Maximum scan area (ADF)  Standard interfaces  Ethernet, USB 2.0  Minimum scan area (ADF)  All-in-one functions  Copy, Fax, Print, Scan  Colour all-in-one functions  Connectivity technology  Wired  Wi-Fi*  X  Legal  Network interfaces  Legal  Network int	ISO A-series sizes (A0A9) *		Drivers included	<b>7</b>
Non-ISO print media sizes  Legal  Network ready  Frinter management  Custom media width  76 - 216 mm  Standard output capacity for transparencies  Paper tray media weight  60 - 163 g/m²  A6 Card  Ports & interfaces  Ethernet, USB 2.0  Maximum scan area (ADF)  Minimum scan area (ADF)  Copy, Fax, Print, Scan  Colour all-in-one functions  Copy, Fax, Print, Scan  Colour scanning  Mired  Wi-Fi *  X  Legal  Networki  Metworking standards  IEEE 802.3, IEEE 802.3u	ISO B-series sizes (B0B9)	B5, B6	Other features	
Envelopes sizes  C5, C6, DL  Printer management  Standard output capacity for transparencies  Paper tray media weight  Duplex media weight  Forts & interfaces  Ethernet, USB 2.0  Standard interfaces  Ethernet LAN*  Printer management  Printer management  Printer management  Standard output capacity for transparencies  AB Card  AB Card	ISO C-series sizes (C0C9)	C5, C6	Hardware scan resolution	1200 x 1200 DPI
Custom media width 76 - 216 mm Standard output capacity for transparencies 10 sheets  Paper tray media weight 60 - 163 g/m² A6 Card ✓  Duplex media weight 60 - 105 g/m² Handset ×  Ports & interfaces  Standard interfaces  Ethernet, USB 2.0 Minimum scan area (ADF) 102 x 127 mm  USB port ✓  USB 2.0 ports quantity 1  Network  Wirei  Wirei  Legal  Networking standards  In Tooloox TX  In Select Sele	Non-ISO print media sizes	•	Network ready	✓
Custom media length 217 - 355 mm transparencies 10 sheets  Paper tray media weight 60 - 163 g/m² A6 Card ✓  Duplex media weight 60 - 105 g/m² Handset X  Ports & interfaces Maximum scan area (ADF) 216 x 356 mm  Standard interfaces Ethernet, USB 2.0 Minimum scan area (ADF) 102 x 127 mm  USB port ✓ All-in-one functions Copy, Fax, Print, Scan USB 2.0 ports quantity 1  Network Colour all-in-one functions Scan Colour scanning ✓  Connectivity technology Wired  Wi-Fi * X Legal ✓  Ethernet LAN * ✓ Networking standards IEEE 802.3, IEEE 802.3u	•		<del>-</del>	HP Toolbox FX
Paper tray media weight  Duplex media weight  60 - 163 g/m²  Handset  W  Ports & interfaces  Standard interfaces  Ethernet, USB 2.0  USB port  USB 2.0 ports quantity  Network  Wi-Fi *  Ethernet LAN *  Colour all-in-one functions  Connectivity technology  Wired  Wetwork  Network  Maximum scan area (ADF)  Maximum scan area (ADF)  Minimum scan area (ADF)  102 x 127 mm  All-in-one functions  Copy, Fax, Print, Scan  Colour all-in-one functions  Scan  Colour scanning  Connectivity technology  Wired  Wired  Metworking standards  IEEE 802.3, IEEE 802.3u	Custom media width  Custom media length			10 sheets
Duplex media weight       60 - 105 g/m²       Handset       X         Ports & interfaces       Maximum scan area (ADF)       216 x 356 mm         Standard interfaces       Ethernet, USB 2.0       Minimum scan area (ADF)       102 x 127 mm         USB port       ✓       All-in-one functions       Copy, Fax, Print, Scan         USB 2.0 ports quantity       1       Colour all-in-one functions       Scan         Network         Wi-Fi *       X       Legal       ✓         Ethernet LAN *       ✓       Networking standards       IEEE 802.3, IEEE 802.3u	Paper tray media weight		•	<b>✓</b>
Ports & interfaces       Ethernet, USB 2.0       Maximum scan area (ADF)       216 x 356 mm         Standard interfaces       Ethernet, USB 2.0       Minimum scan area (ADF)       102 x 127 mm         USB port       ✓       All-in-one functions       Copy, Fax, Print, Scan         USB 2.0 ports quantity       1       Colour all-in-one functions       Scan         Colour scanning       ✓         Connectivity technology       Wired         Wi-Fi *       X       Legal       ✓         Ethernet LAN *       ✓       Networking standards       IEEE 802.3, IEEE 802.3u		60 - 105 g/m²	Handset	x
Standard interfaces  Ethernet, USB 2.0  Minimum scan area (ADF)  All-in-one functions  Copy, Fax, Print, Scan  Colour all-in-one functions  Scan  Colour scanning  Connectivity technology  Wired  Wi-Fi *  Ethernet LAN *  Minimum scan area (ADF)  All-in-one functions  Conpy, Fax, Print, Scan  Colour scanning  Connectivity technology  Wired  Legal  Networking standards  IEEE 802.3, IEEE 802.3u	Ports & interfaces			
USB port  USB 2.0 ports quantity  Network  Wi-Fi *  Ethernet LAN *  All-in-one functions  Colour all-in-one functions  Colour scanning  Connectivity technology  Wired  V  Networking standards  Legal  Networking standards  LEEE 802.3, IEEE 802.3u		Ethernet, USB 2.0	Minimum scan area (ADF)	102 x 127 mm
USB 2.0 ports quantity  Network  Colour scanning Connectivity technology Wired  Legal  Ethernet LAN *  Networking standards  Colour scanning V  Mired  Legal V  Networking standards  IEEE 802.3, IEEE 802.3u			All-in-one functions	Copy, Fax, Print, Scan
Network     Colour scanning     ✓       Wi-Fi *     X     Legal     ✓       Ethernet LAN *     ✓     Networking standards     IEEE 802.3, IEEE 802.3u	USB 2.0 ports quantity		Colour all-in-one functions	Scan
Wi-Fi *   Legal   Ethernet LAN *   Networking standards			-	✓
Ethernet LAN *		v	Connectivity technology	
Networking standards IEEE 002.5, IEEE 002.5d			•	
Bluetooth X Resizing				
	Rinetootu	X	Resizing	<b>✓</b>

























































































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.