



LG GBV7280AEV Freestanding 387 L A Black

Brand : LG

Article code: GBV7280AEV.AEVQEUR

Product name : GBV7280AEV

LG GBV7280AEV. Total net capacity: 387 L. Door hinge: Right, Display type: LED. Climate class: T, Noise level: 33 dB. Fridge net capacity: 277 L, No Frost (fridge), Multi-Airflow system (fridge), Fridge interior light. Freezer net capacity: 110 L, Freezing capacity: 12 kg/24h, No Frost (freezer). Fresh zone compartment. Energy efficiency class: A, Annual energy consumption: 111 kWh



Design		Ergonomics	
Color name	Essence Black Steel	Defrost water drain	✗
Appliance placement *	Freestanding	High temperature indication	✓
Product color *	Black	On/off button	✗
Door hinge	Right	Cord length	2,2 m
Reversible doors	✓	Wi-Fi	✗
Door hinge type	Fixed hinge	Bluetooth	✗
Door opening angle	120°	Bluetooth Low Energy (BLE)	✗
Child lock	✓	Near Field Communication (NFC)	✗
Control type	Touch	Power	
Built-in display *	✓	Energy efficiency scale	A to G
Display type	LED	Energy efficiency class *	A
Display placement	Inside	Annual energy consumption *	111 kWh
Refrigerating medium	R600a	AC input voltage	230 - 240 V
Refrigerating medium weight	62 g	AC input frequency	50 Hz
Shelves material	Tempered glass/Plastic	Current	1 A
Adjustable shelves	✓	Power source	Electric
Shelf finish type	Metallic frame	Gas type	Isobutane
Door balconies material	Plastic	Weight & dimensions	
Number of compressors	1	Width *	595 mm
Inverter technology	✓	Depth *	675 mm
Linear inverter compressor	✗	Height *	2030 mm
Fingerprint resistant	✗	Depth without handle	67,5 cm
Door handle(s) note	Pocket	Width with door open	99,5 cm
Chrome trims	✓	Depth with door open	122,5 cm
Chrome wire wine rack	✓	Weight *	103 kg
Built-in capability	✗	Net depth without door	60,8 cm
Counter depth	✗	Installation compartment width	69,5 cm

Design		Weight & dimensions	
Recessed handle(s)	✓	Installation compartment width (min)	69,5 cm
Door gasket type	Push-in gasket	Installation compartment depth	72,5 cm
Number of doors	2 door(s)	Installation compartment height	2,08 m
Flame-retardant back	✓	Installation compartment height (min)	2,08 m
Side light	✗	Installation compartment dimensions (WxDxH)	695 x 725 x 2080 mm
Door hinge note	Reversible		
Performance		Certificates	
Total net capacity *	387 L	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Total gross capacity	419 L		
Climate class *	T	Packaging content	
Minimum operating temperature	16 °C	Batteries included	✗
Maximum operating temperature	43 °C		
Noise emission class *	B	Supplier features	
Noise level *	33 dB	Product or Article Information Sheet available?	✓
Icemaker *	✗	Manual languages	English
Water dispenser	✗	Language version	English
Water supply type	Not supported		
Air filter	✗	Features	
Anti-odor filter	✗	App required for full functionality	✗
Ionizer	✗	Independently connects to the internet	✗
Holiday function	✓	Smartphone remote support	✗
ECO mode	✓		
Adjustable thermostat	✓	Brand-specific features	
Auto diagnostic	✓	LG technologies (food storage)	DoorCooling+™, FRESHBalancer™, FreshConverter™, LINEARCooling™, Multi-Air Flow, Smart Diagnosis, Smart Inverter Compressor™, Total No Frost
Fridge		Packaging data	
Fridge net capacity *	277 L	Package dimensions (WxDxH)	634 x 745 x 2135 mm
Fridge gross capacity	292 L	Package weight	105863 kg
Cooling system	Dynamic (fan-assisted)	Package volume	1008425 cm³
Fridge interior light	✓	Package width	634 mm
Lamp type	LED	Package depth	745 mm
No Frost (fridge) *	✓	Package height	2135 mm
Automatic defrost (fridge)	✓	Package weight	105,9 kg
Multi-Airflow system (fridge) *	✓		
Fridge number of shelves/baskets *	4	Technical details	
Number of removable shelves	4	Deodorizer	✗
Foldable shelf	✓		
Number of foldable shelves	1	Sustainability	
Number of vegetable drawers *	2	European Product Registry for Energy Labelling (EPREL) code	1674709
Telescopic drawer	✗		
Fridge door balconies	4	Other features	
Egg balcony	✗	No Frost system	✓
Door bottle retainer	✗	Defrost function	✗
Door bottle balcony	✗	Multi-airflow system	✓
Bottle rack	✓	Country of origin	Poland
Can rack	✗	Thermostat	✓
Fridge temperature range	1 - 7 °C	Control position	Internal
Anti-bacterial coating	✗	Form factor	Upright
Anti-bacterial compartment	✗	Built-in freezer	✓
Anti-bacterial seal	✗	Dimensions (WxDxH)	595 x 675 x 2030 mm
Blue light technology	✗	Freezer number of compressors	1
Humidifier function	✗	Fridge number of compressors	1
Concealed compartment	✗	LED indicators	Temperature
Super Cool function *	✓	Anti-bacterial function	✗
Ventilation	✗	Automatic temperature control	✓
Fast Cooling function	✓		

Fridge		Other features	
Internal metal backwall design (fridge)	✓	Humidity control	✗
Freezer		Light source	LED
Freezer position *	Bottom-placed	Number of drawers	2 drawer(s)
Freezer net capacity *	110 L	Fridge number of door pocket	4
Freezer gross capacity	127 L	CoolSelect Zone	✗
Freezing capacity *	12 kg/24h	EAN	8806096149164
Storage time during power failure *	13,5 h	Electronic control	✓
Star rating *	4*	Total capacity	387 L
No Frost (freezer) *	✓	Twin Cooling Plus	✗
Automatic defrost (freezer)	✓	Twin Cooling System	✗
Freezer interior light	✗	Overall height	2,03 m
Freezer number of shelves/baskets *	3	Net weight	103 kg
Freezer drawers quantity	3	Gross weight	105,9 kg
Freezer temperature (min)	-23 °C	Split type	70/30
Fast freeze function *	✓	Warranty period	2 year(s)
Multi-Airflow system (freezer)	✓	Model year	2024
Ice cube tray	✓	PSTI certified	✗
Minimum operating temperature (freezer)	-23 °C	Door type	Double
Super freeze function	✓	Operating temperature (T-T)	16 - 43 °C
Fresh zone		Logistics data	
Fresh zone compartment *	✓	Expanded Polystyrene (EPS) packaging weight	2,32 kg
Fresh zone compartment gross capacity	41 L	Metal packaging weight	0 g
Fresh zone compartment net capacity	41 L	Paper packaging weight	0 g
HarvestFresh technology	✗	Plastic packaging weight	541 g
Freshness grid	✗	Wood packaging weight	0 g
Fullfresh+ technology	✗	Quantity per pack	1 pc(s)
Fresh converter	✓	Quantity per master (outer) case	1 pc(s)
Fresh balancer	✓	Master (outer) case weight	105,9 kg
Middle compartment		Master (outer) case length	745 mm
Middle compartment	✗	Master (outer) case width	634 mm
Ergonomics		Master (outer) case volume	1008425 cm³
Door open alarm	✓	Harmonized System (HS) code	84181020
Temperature alarm	✓	Cardboard packaging weight	0 g
Failure alarm	✓	Polyethylene (PE) packaging weight	532 g
Error indication	✓	Polypropylene (PP) packaging weight	0 g
Adjustable feet	✓	Polystyrene (EPS/EPP) packaging weight	2,32 kg
Feet adjustment	2 cm	Rubber packaging weight	0 g
Castor wheels	✓	UK Trade Tariff code	8418102099
Auto-close system	✗	Master (outer) case height	2135 mm
		Minimum order quantity	1 pc(s)



8806084462879



8806096149164

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.