Canon

Canon EOS 1300D + 18-55mm IS SLR Camera Kit 18 MP CMOS 5184 x 3456 pixels Black

Brand : Canon Product family: EOS Article code: 1160C121

Product name: 1300D +

18-55mm IS

Canon EOS 1300D + 18-55mm IS. Camera type: SLR Camera Kit, Megapixel: 18 MP, Sensor type: CMOS, Maximum image resolution: 5184 x 3456 pixels. ISO sensitivity (max): 6400. Focal length range: 18 - 55 mm. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 7,62 cm (3"). PictBridge. Product color: Black





Picture quality		Display	
Camera type *	SLR Camera Kit	Flip-out screen	×
Megapixel *	18 MP	Vari-angle LCD display	×
Sensor type *	CMOS	Field of view	100%
Maximum image resolution *	5184 x 3456 pixels 3:2: (L) 5184 x 3456, (M) 3456 x	Viewfinder	
Still image resolution(s) *	2304, (S1) 2592 x 1728, (S2) 1920 x 1280, (S3) 720 x 480 4:3: (L) 4608 x	Magnification	0,8x
		Ports & interfaces	
		PictBridge *	✓
		USB version *	2.0
		HDMI *	✓
		HDMI connector type	Mini
		USB port	✓
Image stabilizer *	✓	Network	
Image stabilizer location	Lens		,
Supported aspect ratios	3:2	Wi-Fi *	✓
Total megapixels	18,7 MP	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Image sensor size (W x H)	22,3 x 14,9 mm	Near Field Communication (NFC) *	✓
Sensor format	Advanced Photo System type-C (APS-C)	Camera	
Image formats supported *	JPS, RAW	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade,
Lens system			Tungsten
Focal length range	18 - 55 mm	Scene modes *	Close-up (macro), Food, Night portrait, Portrait, Sports, Landscape
Lens mount interface	Canon EF, Canon EF-S	Shooting modes *	Auto, Movie, Scene
Focusing		Photo effects *	Neutral
Focus *	TTL-CT-SIR	Self-timer delay *	2,10 s
Focus adjustment *	Auto/Manual	Brightness adjustment	✓
Auto focusing (AF) modes *	Al Focus, One Shot Focus, Servo Auto Focus	Camera playback	Movie, Single image, Slide show, Thumbnails
Auto Focus (AF) points	9	Diopter correction	✓

Focusing		Camera	
Auto Focus (AF) lock	✓	Diopter adjustment (D-D)	-2,5 - 0,5
Auto Focus (AF) assist beam	✓	Playback zoom (max)	10x
Exposure		Languages support Histogram	Multi ✓
ISO sensitivity (min) *	100	Live view	*
ISO sensitivity (max) *	6400	GPS (satellite)	×
ISO sensitivity	100, 200, 400, 800, 1600, 3200, 6400, Auto	Camera file system	DCF 2.0, DPOF, Exif 2.3, RAW
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	Eye relief Playback modes	2,1 cm Zoom
Light exposure control	Program AE	Built-in processor	✓
Light exposure correction * Light metering *	± 5EV (1/2EV; 1/3EV step) Centre-weighted, Partial	Image processor	DIGIC 4+
Auto Exposure (AE) lock	✓	Windows operating systems supported	✓
Shutter		Mac operating systems supported	✓
Fastest camera shutter speed *	1/4000 s	Design	
Slowest camera shutter speed *	30 s	Product color *	Black
Camera shutter type	Electronic	Material	Carbon fiber, Fiberglass, Polycarbonate
Flash	Auto Flack off Flack on Dod	Battery	
Flash modes *	Auto, Flash off, Flash on, Red-eye reduction, Second curtain synchro	Battery technology *	Lithium-lon (Li-lon)
Flash guide number	9,2 m	Battery life (CIPA standard)	500 shots
Flash recharging time	2 s	Battery type	LP-E10
Flash sync-speed	1/200 s	Number of batteries supported	1
Flash exposure compensation		Battery level indicator	✓
Flash exposure correction	±2EV (1/2, 1/3 EV step)	Operational conditions	
Shoe mounting point	✓	Operating temperature (T-T)	0 - 40 °C
Video		Operating relative humidity (H-H)	0 - 85%
Video recording *	1000 1000 1	Weight & dimensions	
Maximum video resolution * HD type *	1920 x 1080 pixels Full HD	Width	129 mm
Video resolutions	640 x 480,1280 x 720,1920 x 1080	Depth	77,6 mm
video resolucións	640x480@25fps, 640x480@30fps,	Height Weight (including battery)	101,3 mm 485 g
	1280x720@50fps,	3 , 3 ,,	70 <i>3</i> g
Resolution at capture speed	1280x720@60fps, 1920x1080@24fps,	Packaging content	
	1920x1080@25fps, 1920x1080@30fps	Hand strap	/
Analog signal format system	NTSC, PAL	Battery charger included	V
Video formats supported	H.264, MOV	Batteries included	V
Audio		Carrying case	V
Built-in microphone *	✓	Quick start guide Bundled software	Digital Photo Professional 4.4.0
Audio formats supported	LPCM	Other features	Digital Frioto Froicosiolial 4.4.0
Memory		Power source type	Battery
Compatible memory cards *	SD, SDHC, SDXC	rower source type	Dattel y
Memory slots	1		
Display			
Display *	LCD		
Touchscreen *	x		
Display diagonal *	7,62 cm (3")		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.