



BenQ MX842UST Ultra short throw projector 3000 ANSI lumens DLP XGA (1024x768) 3D White

Brand : BenQ

Article code: 9H.JCA77.14E

Product name : MX842UST

BenQ MX842UST. Projector brightness: 3000 ANSI lumens, Projection technology: DLP, Projector native resolution: XGA (1024x768). Light source type: Lamp, Service life of light source: 3500 h, Service life of light source (economic mode): 7000 h. Fixed focal length: 5,38 mm, Throw ratio: 0.47:1, Offset: 153%. Analog signal format system: NTSC, PAL, SECAM, Supported 3D formats: Frame Sequential, Frame packing, Side by side, Top and bottom, Supported graphics resolutions: 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 576 (WSVGA), 1024 x 600, 1024 x 768 (XGA),.... Serial interface type: RS-232



Projector		Storage	
Supported aspect ratios	4:3, 16:10, 16:9	Card reader integrated *	✗
Screen size compatibility *	1524 - 7620 mm (60 - 300")	Optical disc player type	Not included
Projector brightness *	3000 ANSI lumens	Features	
Projection technology *	DLP	Noise level (economic mode)	30 dB
Projector native resolution *	XGA (1024x768)	Preset modes	3D, Cinema, Custom, Dynamic, Presentation, sRGB
Contrast ratio (typical) *	13000:1	On Screen Display (OSD)	✓
Native aspect ratio *	4:3	On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish
Number of colors	1.073 billion colours		
Horizontal scan range	15 - 102 kHz		
Vertical scan range	23 - 120 Hz		
Keystone correction, vertical	-15 - 15°		
Matrix type	DMD	Noise level *	36 dB
Light source		Multimedia	
Light source type *	Lamp	Built-in speaker(s) *	✓
Service life of light source *	3500 h	RMS rated power	20 W
Service life of light source (economic mode)	7000 h	Number of built-in speakers	2
Lamp power	240 W	Design	
Lamps quantity	1 lamp(s)	Product type *	Ultra short throw projector
Lens system		Product color *	White
Fixed focal length	5,38 mm	Placement	Desktop
Throw ratio	0.47:1	Power	
Offset	153%	Power source *	AC
Video		Power consumption (typical) *	330 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (standby) *	0,5 W
3D *	✓	Power consumption (network standby)	2 W
Supported 3D formats	Frame Sequential, Frame packing, Side by side, Top and bottom	AC input voltage	100 - 240 V
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 576 (WSVGA), 1024 x 600, 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA)	AC input frequency	50 - 60 Hz
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

Video		Operational conditions	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	10 - 90%
		Operating altitude	0 - 3000 m
Ports & interfaces		Weight & dimensions	
S-Video inputs quantity	1	Width	339 mm
USB 2.0 ports quantity	1	Depth	323 mm
Audio (L/R) in *	1	Height	237 mm
Headphone outputs	1	Weight *	5,4 kg
Microphone in	✓		
Serial interface type *	RS-232		
VGA (D-Sub) ports quantity *	3		
HDMI ports quantity *	1		
Composite video in *	1		
DVI port *	✗		
CardBus PCMCIA slot type	✗		
AC (power) in	✓		
Network		Packaging content	
Ethernet LAN *	✓	Handheld remote control *	✓
Ethernet LAN (RJ-45) ports	1	Remote control type	IR
		Batteries included	✓
		Cables included	AC, VGA
		Quick start guide	✓
		Manual	✓
		Other features	
		RS-232 ports	1



4718755053160

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.