## Fujitsu CELSIUS H270 Intel® Core™2 Quad Q9000 39,1 cm (15.4") 2 GB DDR3-SDRAM 160 GB NVIDIA® Quadro® FX 770M Windows Vista Business

Brand : Fujitsu

Product family: CELSIUS

Product code: VFY:H2700WX031DE

Product name : Celsius H270

Celsius H270, Intel Core2 Quad Q9000 (2.00 GHz, 6MB L2, 1066 MHz FSB), 2 GB DDR3-1066 (1x 2 GB), 160 GB S-ATA HDD, DVD SuperMulti, NVIDIA Quadro FX 770M, Windows Vista® Business (64bit)/Microsoft Windows XP Professional

Fujitsu CELSIUS H270 Intel® Core<sup>™</sup> 2 Quad Q9000 39,1 cm (15.4") 2 GB DDR3-SDRAM 160 GB NVIDIA® Quadro® FX 770M Windows Vista Business:

## The Powerful Mobile Workstation

Bid farewell to compromising on graphics quality when running power-hungry 3D applications and say hello to a true visual experience. The portable CELSIUS H delivers all the performance of a fully-equipped workstation, allowing you to edit 3D OpenGL graphics in real time and run computer simulations and multimedia animations no matter where you find yourself.

Display		Software	
Display diagonal * Display resolution * Native aspect ratio Processor Processor manufacturer * Processor family * Processor model * Processor cores	39,1 cm (15.4") 1680 x 1050 pixels 16:10 Intel Intel® Core™2 Quad Q9000 4	Bundled software	Adobe Acrobat Reader, Nero 8 Essentials XL, Toshiba Bluetooth Stack, Mobile Software Suite, Norton Internet Security, SmartCase Logon+ incl. Fingerprint Software, Drivers u. Utilities DVD, DeskView Data; Value4you Premium Suite 2009 DVD: Corel Home Office, CoreIDRAW Essentials 4, Serif PhotoPlus X2, Nuance ScanSoft PDF Create
Processor threads	4	Processor special features	
Processor frequency * Processor cache	2 GHz 6 MB	Intel® Wireless Display (Intel® WiDi)	×
Processor cache type Processor socket	L2 Socket L1	Intel® My WiFi Technology (Intel® MWT)	×
Processor front side bus Processor lithography	1066 MHz 45 nm	Intel® Anti-Theft Technology (Intel® AT)	×
Processor operating modes	64-bit	Intel® Hyper Threading Technology	×
Processor series	Intel Core 2 Quad Q9000 Series for Mobile	(Intel® HT Technology) Intel® Turbo Boost Technology	×
Processor codename	Penryn	Enhanced Intel SpeedStep Technology	1
Bus type FSB Parity	FSB ×	Intel® Clear Video HD Technology (Intel® CVT HD)	×
Stepping	EO	Intel Clear Video Technology	×
Thermal Design Power (TDP)	45 W	Intel® InTru <sup>™</sup> 3D Technology	×
Tjunction Number of Processing Die	100 °C	Intel® Insider™	×
Transistors	410 M	Intel® Quick Sync Video Technology	×
Processing Die size	107 mm²	Intel Flex Memory Access	×
CPU multiplier (bus/core ratio) ECC supported by processor	7,5 ×	Intel® AES New Instructions (Intel® AES-NI)	×
Memory		Intel Trusted Execution Technology	1
-	2.00	Intel Enhanced Halt State	×
Internal memory * Internal memory type Memory layout (slots x size)	2 GB DDR3-SDRAM 1 x 2 GB	Intel VT-x with Extended Page Tables (EPT)	×
	1 A 2 OD	Intel Demand Based Switching	×
Storage Total storage capacity *	160 GB	Intel <sup>®</sup> Clear Video Technology for Mobile Internet Devices (Intel CVT for MID)	×



Charmen			
Storage		Processor special features	
Hard drive interface	SATA	Intel 64	1
Hard drive speed	7200 RPM	Execute Disable Bit	4
Optical drive type * Card reader integrated	DVD Super Multi	Thermal Monitoring Technologies	×
Compatible memory cards	MMC, MS PRO, SD, xD	Processor package size	35 x 35 mm
		Processor code	SLGEJ
Graphics		Embedded options available	×
Discrete graphics card model *	NVIDIA® Quadro® FX 770M	Intel Virtualization Technology for Directed I/O (VT-d)	×
Discrete graphics card memory	0,512 GB	Intel Virtualization Technology (VT-	
Discrete graphics card *	1	x)	1
Audio		Intel Dual Display Capable	×
Audio system	High Definition Audio	Technology	<b>.</b>
Camera		Intel FDI Technology	× ×
Front camera	×	Intel Rapid Storage Technology	
Network		Intel Fast Memory Access Processor ARK ID	× 40480
	Circhit Ethernet W/ AN	Conflict-Free processor	×
Networking features Bluetooth	Gigabit Ethernet, WLAN ✓	·	^
Bluetooth version	2.1+EDR	Battery	
	2.11 LDN	Number of battery cells	8
Ports & interfaces		Power	
USB 2.0 ports quantity *	3 1	DC-in jack	1
eSATA ports quantity Ethernet LAN (RJ-45) ports	1	Security	
DVI port	-	Trusted Platform Module (TPM)	1
Firewire (IEEE 1394) ports	1		
Headphone outputs	1	Weight & dimensions	
S/PDIF out port	×	Width	363 mm
Microphone in	1	Depth Height	260 mm 38 mm
Docking connector	1	Weight *	2,9 kg
ExpressCard slot	1	5	2,5 Kg
CardBus PCMCIA slots quantity	1	Packaging content	
CardBus PCMCIA slot type	Туре II	AC adapter included *	1
SmartCard slot	1	Other features	
TV-out	×	Wireless technology	802.11a/g/n
Parallel ports quantity	1	Infrared data port	1
Serial ports quantity	1	Туре	PC
Performance		Display	LCD
Motherboard chipset	Intel® PM45 Express	TV-in port	×
		Internal modem	×

## Software

Optional operating system supplied Windows XP Professional Operating system installed \* Windows Vista Business

**Catalog Object Cloud** 



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.