Canon EOS 60D Body SLR Camera Body 18 MP CMOS 5184 x 3456 pixels Black

Brand : Canon

Product family: EOS

Product code: 4460B035

Product name : 60D Body

EOS 60D Body - 18MP, 22.3mm x 14.9mm CMOS, DIGIC 4, EF/EF-S, TTL-CT-SIR, Pentaprism, 3.0" TFT, 5184x3456, USB 2.0, Video out, HDMI

Canon EOS 60D Body. Camera type: SLR Camera Body, Megapixel: 18 MP, Sensor type: CMOS, Maximum image resolution: 5184 x 3456 pixels. Fastest camera shutter speed: 1/8000 s. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 7,62 cm (3"). Viewfinder type: Electronic. PictBridge. Weight: 755 g. Product colour: Black





Picture quality		Ports & interfaces	
Camera type *	SLR Camera Body	PictBridge *	✓
Megapixel *	18 MP CMOS	USB version *	2.0
Sensor type *		Camera	
Maximum image resolution *	480 x 480,640 x 480,720 x 400,720 x 480,1280 x 1280,1696 x 1280,1728 x 1728,1920 x 1080,2304 x 1728,2304 x 2304,2592 x 1456,2592 x 1728,3072 x 2304,3456 x 1944,3456 x 2304,3888 x 2592,5184 x 3456	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten
Still image resolution(s) *		Scene modes *	Close-up (macro), Night portrait, Portrait, Sports, Landscape
		Shooting modes *	Aperture priority, Auto, Manual, Movie, Program, Shutter priority
		Photo effects *	Neutral
Image stabilizer *	X 2.2 4.2 16.0	Camera playback	Movie, Single image, Slide show
Supported aspect ratios	3:2, 4:3, 16:9	Dioptre correction	 Image: A start of the start of
Lens system		Playback zoom (max)	10x
Filter	✓	Histogram	 Image: A set of the set of the
Focusing		Camera file system	DCF 2.0, DPOF 1.1, Exif 2.3, RAW
Focus adjustment *	Auto/Manual	Anti-dust function	 Image: A set of the set of the
-	Continuous Auto Focus, Single Auto	Image processor	DIGIC 4
Auto focusing (AF) modes *	Focus		Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Auto Focus (AF) lock	 Image: A set of the set of the		
Auto Focus (AF) assist beam	×		
Exposure		Windows operating systems	
ISO sensitivity	80, 100, 200, 400, 800, 1600, 3200, 6400, Auto	1 3 3	
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE		
Light metering *	Centre-weighted, Spot		
Shutter			Mac OS X 10.4 Tiger, Mac OS X 10.5
Fastest camera shutter speed *	1/8000 s	Mac operating systems supported	Leopard, Mac OS X 10.6 Snow
Slowest camera shutter speed *	30 s		Leopard
Camera shutter type	Electronic	Design	
Flash		Product colour * Material	Black
Flash modes *	Auto, Manual, Red-eye reduction, Second curtain synchro		Aluminium, Glass, Polycarbonate

Flash		Battery	
Flash exposure lock Flash guide number Flash recharging time	✓ 13 m 3 s	Battery technology * Battery type Number of batteries supported	Lithium-lon (Li-lon) LP-E6 1
Video		System requirements	
Video recording *	1	Mac compatibility	✓
Maximum video resolution * HD type * Motion JPEG frame rate Video formats supported	1920 x 1080 pixels Full HD 25 fps MOV	Operational conditions Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 0 - 85%
Memory		Weight & dimensions	
Compatible memory cards *	SD, SDHC, SDXC	Width Depth	144,5 mm 78,6 mm
Display		Height	105,8 mm
Display * Display diagonal * Display resolution (numeric) Field of view	LCD 7,62 cm (3") 1040000 pixels 100%	Weight Packaging content Bundled software	755 g ZoomBrowser EX / ImageBrowser
Viewfinder	10070	Other features	
Viewfinder type Magnification	Electronic 0,95x	Video capability Dimensions (WxDxH) Data compression	✓ 144,5 x 78,6 x 105,8 mm Fine, Norm
Ports & interfaces		Lens system	EF/EF-S
I/O ports	1x 3.5mm 1x HDMI mini 1x Video- out (PAL/ NTSC)	Built-in flash Camera focusing range Camera shutter speed Digital SLR HDMI ports quantity	✓ EV -0.5 - 18 30 - 1/8000 s ✓ 1

Power source type

Battery

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.