



## AOC 24B20JH2 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

**Brand :** AOC

**Product code:** 24B20JH2

**Product name :** 24B20JH2

23.8" IPS Panel Monitor

AOC 24B20JH2. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 1 ms, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDMI *	✓
Display resolution *	1920 x 1080 pixels	HDMI ports quantity	1
HD type *	Full HD	HDMI version	1.4
Panel type *	IPS	<b>Ergonomics</b>	
Display brightness (typical)	250 cd/m²	VESA mounting *	✓
Response time *	1 ms	VESA mounting interfaces	75 x 75 mm
Screen shape *	Flat	Wall mountable	✓
Contrast ratio (typical) *	1000:1	Tilt adjustment	✓
Contrast ratio (dynamic)	20000000:1	Tilt angle range	-5 - 15°
Maximum refresh rate *	100 Hz	<b>Power</b>	
Viewing angle, horizontal	178°	Power consumption (typical) *	24 W
Viewing angle, vertical	178°	AC adapter output voltage	12 V
Display colors *	16.7 million colours	Power supply type	External
Pixel pitch	0.2745 x 0.2745 mm	<b>Weight &amp; dimensions</b>	
Viewable size, horizontal	52.7 cm	Width (with stand)	540.9 mm
Viewable size, vertical	29.6 cm	Depth (with stand)	168 mm
Colour gamut standard	NTSC	Height (with stand)	418.2 mm
Color gamut	90%	Weight (with stand)	2.82 kg
sRGB coverage (typical)	100%	Width (without stand)	540.9 mm
<b>Performance</b>		Depth (without stand)	35.1 mm
VESA Adaptive Sync support	✓	Height (without stand)	321.3 mm
Flicker-free technology	✓	Weight (without stand)	2.49 kg
Low Blue Light technology	✓	<b>Packaging data</b>	
<b>Multimedia</b>		Package width	598 mm
Built-in camera *	✗	Package depth	100 mm
<b>Design</b>		Package height	387 mm
Market positioning *	Home	Package weight	3.92 kg
Product colour *	Black	<b>Packaging content</b>	
Frameless design	✓	Cables included	HDMI
Feet colour	Black	HDMI cable length	1.5 m

Ports & interfaces		Sustainability	
Built-in USB hub *	✗	Sustainability compliance	✓
VGA (D-Sub) ports quantity	1	Other features	
		Compliance certificates	BSMI, CE, RCM, RoHS



6973985231926

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.