**Hisense**

# Hisense H43M3000 hospitality TV 108.2 cm (42.6") 4K Ultra HD Smart TV Anthracite 14 W

**Brand :** Hisense

**Product code:** H43M3000

**Product name :** H43M3000

Hisense H43M3000. Display diagonal: 108.2 cm (42.6"), HD type: 4K Ultra HD, Display resolution: 3840 x 2160 pixels. Product colour: Anthracite, VESA mounting interfaces: 200 x 200 mm. Operating system installed: VIDAA, Video format supported: 3GP, AVI, FLV, H.264, H.265, MKV, MOV, MP4, MPEG, MPEG2, MPEG4, MPG, MVC, RM, TS, VC-1, VOB, VP9,..., Audio formats supported: AAC, FLAC, MP2, MP3, MP4, OGG, WAV, WMA, WMV. RMS rated power: 14 W, Audio system: NICAM Stereo, Built-in audio decoders: Dolby Digital, Dolby MS10. Browser supported: Opera

## Display

| | |
|---|---|
| Display diagonal * | 108.2 cm (42.6") |
| HD type * | 4K Ultra HD |
| Display resolution * | 3840 x 2160 pixels |
| Display technology * | LED |
| Screen shape | Flat |
| Native aspect ratio * | 16:9 |
| Supported graphics resolutions | 3840 x 2160 |
| Motion interpolation technology | SMR (Smart Motion Rate) 800 Hz |
| Display diagonal (metric) | 108 cm |

## Design

| | |
|---|---|
| Product colour * | Anthracite |
| VESA mounting * | ✔ |
| VESA mounting interfaces | 200 x 200 mm |
| Integrated on/off switch | ✔ |

## Performance

| | |
|---|---|
| Smart TV * | ✔ |
| Operating system installed | VIDAA |
| Operating system version | 2.0 |
| Internet TV | ✔ |
| Timeshift | ✔ |
| On Screen Display (OSD) | ✔ |
| Video format supported | 3GP, AVI, FLV, H.264, H.265, MKV, MOV, MP4, MPEG, MPEG2, MPEG4, MPG, MVC, RM, TS, VC-1, VOB, VP9, VRO, WEBM, WMV |
| Audio formats supported | AAC, FLAC, MP2, MP3, MP4, OGG, WAV, WMA, WMV |
| Hybrid Broadcast Broadband TV (HbbTV) | ✔ |
| Teletext function | ✔ |
| Teletext | 899 pages |
| Video apps | Netflix, YouTube, YuppTV |

## Ports & interfaces

| | |
|---|---|
| HDMI ports quantity * | 4 |
| DVI port | ✘ |
| Ethernet LAN (RJ-45) ports | 1 |
| USB 2.0 ports quantity * | 2 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 |
| Component video (YPbPr/YCbCr) in | 1 |
| Composite video in | 1 |
| Audio (L/R) in | 1 |

## Ports & interfaces

| | |
|---|---|
| Common interface Plus (CI+) version | 1.3 |

## Audio

| | |
|---|---|
| Number of speakers | 2 |
| RMS rated power * | 14 W |
| Audio system | NICAM Stereo |
| Built-in audio decoders | Dolby Digital, Dolby MS10 |
| Equalizer | ✔ |

## Network

| | |
|---|---|
| Wi-Fi * | ✔ |
| Web browser | ✔ |
| Browser supported | Opera |
| Ethernet LAN connection * | ✔ |

## Power

| | |
|---|---|
| Power consumption (typical) * | 110 W |
| Power consumption (standby) | 0.5 W |
| AC input voltage | 220 - 240 V |
| AC input frequency | 50 Hz |

## Weight & dimensions

| | |
|---|---|
| Width (with stand) | 969 mm |
| Depth (with stand) | 192 mm |
| Height (with stand) | 607 mm |
| Width (without stand) | 969 mm |
| Depth (without stand) | 87 mm |
| Height (without stand) | 563 mm |
| Weight (without stand) | 10.1 kg |

## Packaging data

| | |
|---|---|
| Package width | 1079 mm |
| Package depth | 658 mm |
| Package height | 153 mm |
| Package weight | 12.8 kg |

## Packaging content

| | |
|---|---|
| Desktop stand | ✔ |
| Batteries included | ✔ |

## Technical details

| | |
|---|---|
| Compliance certificates | RoHS |

## Other features

| | |
|---|---|
| 3D compatibility | ✘ |

## Ports & interfaces

| | |
|---|---|
| Digital audio coaxial out | 1 |
| RF ports quantity | 2 |
| PC in (D-Sub) | ✘ |
| SCART ports quantity | 1 |
| Common interface Plus (CI+) | ✔ |

## Other features

| | |
|---|---|
| Extended PVR | ✔ |
| Built-in speaker(s) | ✔ |
| Manual | ✔ |
| Annual energy consumption | 160.6 kWh |
| Energy efficiency class (old) | A |

## TV tuner

| | |
|---|---|
| Digital signal format system * | DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2 |

## Ports & interfaces

| | |
|---|---|
| Digital audio coaxial out | 1 |
| RF ports quantity | 2 |
| PC in (D-Sub) | ✘ |
| SCART ports quantity | 1 |
| Common interface Plus (CI+) | ✔ |

## Other features

| | |
|---|---|
| Extended PVR | ✔ |
| Built-in speaker(s) | ✔ |
| Manual | ✔ |

6942147430002

**Catalog Object Cloud**