Samsung QN85D TQ55QN85DBT 139,7 cm (55") 4K Ultra HD Smart TV Wi-Fi Carbon, Silver

Brand : Samsung **Product family:** QN85D **Product code:** TQ55QN85DBTXXC

Product name: TQ55QN85DBT

Samsung QN85D TQ55QN85DBT. Display diagonal: 139,7 cm (55"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: Neo QLED, Screen shape: Flat. Smart TV. Motion interpolation technology: Motion Xcelerator, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S2, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Carbon, Silver





Display		Performance	
Display diagonal * HD type * Display technology * LED backlight Screen shape *	139,7 cm (55") 4K Ultra HD Neo QLED ✓ Flat	AMD FreeSync type Game features	FreeSync Premium Pro Auto Low Latency Mode (ALLM), Dynamic Black EQ, Game Bar, Game Motion Plus, Gaming Hub, HGiG, Mini Map Zoom, Super Ultra Wide Game View, Surround Sound,
Native aspect ratio * Motion interpolation technology * Native refresh rate Display refresh rates supported Dynamic contrast ratio marketing name Display resolution * Display diagonal (metric)	16:9 Motion Xcelerator 100 Hz 100 Hz, 120 Hz Quantum Matrix Technology 3840 x 2160 pixels 140 cm	4K Ultra HD upscaling SmartThings app support Tap view Wireless Dex support Multi View TV sound to mobile device Smartphone remote support	Variable Refresh Rate (VRR)
Anti-glare screen TV tuner	✓	USB recording	,
Tuner type * Digital signal format system * Number of tuners Auto channel search	Analog & digital DVB-C, DVB-S2, DVB-T2 2 tuner(s)	Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) *	2.1 ✓
Smart TV Smart TV * Internet TV * Operating system installed * Screen mirroring Sound mirroring Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version	✓ ✓ Tizen ✓ ✓ ✓	Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Digital audio optical out RF ports quantity Common interface (CI) * Common interface Plus (CI+) * Common interface Plus (CI+) version HDMI ports quantity * Consumer Electronics Control (CEC)	1 2 1 2 ✓ ✓ 1.4 4 Anynet+
TV initiate mirroring Universal guide Video apps	✓ ✓ Samsung TV Plus	Management features Voice control Voice quide	<i>y</i>
Audio Number of speakers *	2	Electronic Programme Guide (EPG) On Screen Display (OSD) Number of OSD languages	✓ ✓ 27

RNS rated power* 40 VW Picture in-Picture ✓ Commode ✓ Commode <th>A</th> <th></th> <th>Manager and facilities</th> <th></th>	A		Manager and facilities	
Audio output channels 2.2 channels ECO mode y - (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Audio		Management features	
Aution decoders			Picture-in-Picture	✓
Adia power of works with Amazon Alexa	·		ECO mode	✓
Audio pre-selection descriptor V- New York with the Google Assistant V (Active Voice amplifier (AVA) Y- New York with Samsung Birdy V- V		•	Auto power off	✓
Q-Symphony Very campiller (AVA) Works with the Groupe Assistant of Active Voice amplifier (AVA) Very Common of Active Voice Amplifier (AVA) Active Voice Amplifier (AVA) Very Common of Active Voice Amplifier (AVA) Active Voice Amplifier (AVA)<		•	Works with Amazon Alexa	✓
Active voice amplifier (AVA) Power Enhanced Audio Return Channel (PARC) Power Power consumption (standby)* 0.5 W Network Power consumption (tans) 0.5 W WF-F1* Power consumption (tans) 0.5 W WF-F1 standards WI-F15 (802.11ac) Energy efficiency class (SDR)* G Bluetooth* Power consumption (HDR) pers) B kWh Bluetooth ** V Energy efficiency class (HDR)* G Bluetooth ** V Carbon Silve Actingut voltage 220-240 V Web browser Carbon Silver Energy saving mode At 0.6 Colour name Carbon Silver Energy saving mode At 0.6 VSSA mounting Carbon Silver Brand-specific features Panel mounting interface 200 x 200 mm Active Victa Amplifier Pro. Adaptive Sound Pro. Auth INTR Remarkstring Introduction year Silm fill wall mount support 2 Brand-specific features Vision fill wall mount support 4 Active Victa Amplifier Pro. Adaptive Sound Pro. Auth INTR Remarkstring Introduction year Sland dype Center stand Samular Markstri	·		Works with the Google Assistant	✓
Rehabit Power consumption (standby)* 0,5 W Network ✓ Power consumption (standby)* 0,5 W WiF1** ✓ Power consumption (standby)* 0,5 W WiF1** ✓ Energy efficiency class (HDR*)* G Bluebooth* ✓ Energy consumption (SDR) per 1000 80 kWh Bluebooth version 5.2 Energy consumption (FDR) per 1000 hours* 183 kWh Bluebord version 5.2 Energy consumption (HDR) per 1000 hours* 183 kWh Blueboth version 5.2 Color (Part Color)* 4 Cinput reguency 5000 hours* 183 kWh Product color* Carbon Silver Energy saving mode 2 Color (Part Color)* 4 Cinput reguency 5000 hours*		•	Works with Samsung Bixby	✓
Network	•	•	Power	
Network Power consumption (max) 195 W [16] M [16]		✓		0.5.W
WiF1 WiF1 standards WiF1 5 (802.11ac) Energy efficiency class (RDN) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR) per 1000 and Surface (SDR) = General Construction (SDR)				
Bluetooth				
Bluebooth version 5.2 Energy consumption (HDR) per 183 kWh 1000 hours* 1800				90 kWh
Ethernet LAN* V AC input votage 220-24 0V Web browser V AC input requency 2006 Hz Design Carbon, Silver Energy saving mode V Colour name Carbon, Silver Energy efficiency scale A G VESA mounting Carbon Silver Brand-specific features Active Voice Amplifier Pro. Adaptive Sound Pro. Auto HDR Remastering, Micro Dimming, Modion Xcelerator Turbor Pro. Neo Quantum HDR, Object Tracking Sound Like, Q-Symphory Neo Quantum HDR, Object Tracking Sound Like, Q-Symphory Neo Quantum HDR, Samar Calibration, Samsung Health, Samsung Health, Samsung Health, Samsung IV Plus, Smar Calibration, Samsung Health, Samsung IV Plus, Smar Calibration, Plus Plus Plus Plus Plus Plus Plus Plus				80 KWII
Web browser Web browser Veb frowers Veb frowers Veb frowers Veb from the cloud of the common state of the cloud of th				183 kWh
Design Product colour * Carbon, Silver Energy saving mode Product colour * Carbon Silver Energy saving mode Product Colour anne Product Colour anne Product Colour Saving Product Colour Saving Product Colour Saving Product Colour Saving Product Colour Product Colour Product Colour Product Colour Silver Product Colour Silver Product Colour Silver Product Colour Silver Product Plain Product Colour Silver Prod				220-240 V
Design Carbon. Silver Energy saving mode ✓ Product colour "Colour name Carbon. Silver Energy efficiency scale A to G VESA mounting "VESA mounting" 200 x 200 mm Brand-specific features Active Voice Amplifier Pro, Adaptive Sound Pro, Aut of Dinming, Motion Xcelerator Turbo Pro, Neo Quantum HDR, Object Tracking Sound Life, Object Tracking Sou	Web browser	✓		
Product colour* Carbon Silver Energy efficiency scale A to G Colour name Carbon Silver Brand-specific features VESA mounting** ✓ VESA mounting** ✓ Panel mounting interface 200x 200 mm Exzel type 3 Bezel-less Mini wall mount support ✓ Stand type Center stand Silver Silver Performance High Dynamic Range 10 (HDR10), High Dynamic Ra	Design			·
Colour name Carbon Silver Brand-specific features VESA mounting / Panel mounting interface 200 x 200 mm Baczel type 3 Bezel-less Mini wall mount support / Stand type Center stand Stand type Center stand Stand type Center stand Stand colour Silver Performance Weight & dimensions Performance Weight & dimensions High Dynamic Range 10 (HDR1), High Dynamic Range 10 Faming (HDR1) Plus Adaptive), High Dynamic Range (HDR1) Plus Adaptive), High Plus Adaptive), High Plus Adaptive), High Dynamic Range (HDR1) Plus Adaptive), High Plus Adaptive, High Dynamic Range (HDR1) Plus Adaptive), High Plus Adaptive, High Plus	Product colour *	Carbon, Silver	· · ·	
VESA mounting interface Panel mounting interface Introduction year Bezel type 3 Bezel-less 3 Bezel-less 3 Bezel-less 4 Active Voice Amplifier Pro, Adaptive Sound Pro, Auto HDR Remastering, Introduction year Bezel type 3 Bezel-less 4 Samsung technologies (AVITV) 5 Sim fit wall mount support 5 Center stand 5 Stand type 5 Center stand 5 Stand colour 5 Silver Weight 6 dimensions Weight (With Stand) Weight (Without Stand)	Colour name	Carbon Silver		
France mounting interface introduction year 2024 Bezel type 3 Bezel-less 3 Mini wall mount support	VESA mounting *	✓	Brand-specific features	
Introduction year Bezel type 3 Bezel less Mini wall mount support 5 Center stand Stand type Center stand Silver High Dynamic Range 10 (HDR1) High Dynamic Range 10 (HDR10) For support 7 Ves High Dynamic Range (HDR10) High Dynamic Range 10 (HDR10) High Dynamic Range (HDR10) High Dynamic Range (HDR10) High Dynamic Range (HDR10) For support 7 Vey support 7 Vey support 7 Vey support 8 Dackage width Package width Package width Package height Packa	Panel mounting interface	200 x 200 mm		
Mini wall mount support Slim fit wall mount support Stand type Center stand Silver High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10+ Adaptive (HDR10 Plus Gaming), Neo Quantum HDR Game mode Subtitles function Ambient mode Feco sensor Al Upscale Feo sensor Tv key support Tv key support Tv key support Picture processor High Dynamic Range IDepth Enhancer Picture processor High Dynamic Range IDepth Enhancer Picture processor No4 Al Gen2 Five support AMD FreeSync Five support Fi	Introduction year	2024		Micro Dimming, Motion Xcelerator
Mini wall mount support Sim fit wall mount support Stand type Center stand Silver Performance High Dynamic Range (HDR) High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), Dynamic Ra	Bezel type	3 Bezel-less		
Stand type Stand colour Silver Performance High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10+ Adaptive (HDR10 Plus Gaming), Neo Quantum HDR Game mode Game mode Guantum HDR Stootities function Ambient mode Yes Brightness detection Al Upscale TV key support Valupscale TV key support Valupscale TV key support Valupscale Va	Mini wall mount support	✓	Samsung technologies (AV/TV)	
Stand colour Silver Stand colour Silver Performance High Dynamic Range 10 (HDR1), high Dynamic Range 10 (HDR10), high Dynamic Range 10-4 Adaptive (HDR10 Plus Adaptive), High Dynamic Range 10-4 Adaptive (HDR10 Plus Agantive), High Dynamic Range 10-4 Gaming (HDR10 Plus Agantive), High Dynamic Range 10-4 Gaming (HDR10 Plus Agantive), High Dynamic Range 10-4 Gaming (HDR10 Plus Gaming), Neo Quantum HDR Game mode ✓ Subtitles function ✓ Ambient mode Yes Height (with without stand) ✓ Performance ✓ Width (without stand) 1227,6 mm Peight (with stand) 12	Slim fit wall mount support	✓		
Stand colour Performance High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10+ Adaptive (HDR10 Plus Adaptive), High Dynamic Range 10+ Gaming), Neo Quantum HDR (HDR10 Plus Gaming), Neo Quantum HDR (Weight (with stand)) Subtitles function Ambient mode Yes Eco sensor All Upscale TV key support All Upscale Picture processing technology Picture processing technology Picture processing technology Picture processor NQ4 All Gen2 High Dynamic Range (HDR) AMD FreeSync AMD FreeSync High Dynamic Range (10 HDR10), High Dumanic Range 10 (HDR10), High Dumanic Range (10 HDR10), Hi	Stand type	Center stand		
High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) Pepth (with stand) Depth (with stand) Depth (with stand) Depth (without stand) Depth (with stand) Depth (without st	Stand colour	Silver		Ultimate UHD Dimming, Wide
High Dynamic Range (HDR) High Dynamic Range (1 HDR10), High Dynamic Range (1 HDR10) Plus Adaptive (HDR10 Plus Adaptive), High Dynamic Range (1 HDR10 Plus Adaptive), High Dynamic Range (1 HDR10 Plus Gaming), Neo Quantum HDR Game mode Subtitles function Ambient mode Yes Height (with stand) Yes Height (with stand) Depth (without stand) Depth (without stand) 1227,6 mm 1227,6 mm Polymamic Range (HDR) Polymamic Range (HDR) Polymamic Range (HDR) Polymamic Range (HDR) Supported First Sama Waldh AMD FreeSync High Dynamic Range (HDR) Fight (HDR10) Polymamic Range (HDR) Fight (With Stand) Polymamic Range (HDR) Polymamic Ra	Performance			Viewing Angle
High Dynamic Range (HDR) technology (HDR10 Plus Adaptive), High Dynamic Range 10+ Gaming (HDR10 Plus Gaming), Neo Quantum HDR Game mode Game mode Subtitles function Ambient mode Fee sensor Fightness detection Al Upscale TV key support TV key support Ficture processor High Dynamic Range (HDR) Supported* Rupe (HDR10 Plus Gaming), Neo Quantum HDR Meight (without stand) Fee sensor Package width Package depth Package weight Package weight Package weight Package weight Fee Support AMD FreeSync AMD FreeSync High Dynamic Range (HDR) Fie support AMD FreeSync High Dynamic Range (HDR) Fee support AMD FreeSync High Dynamic Range (HDR2) Fee support Fee support AMD FreeSync High Dynamic Range (HDR2) Fee support Fee support AMD FreeSync High Dynamic Range (HDR2) Fee support		High Dynamic Range 10+ Adaptive (HDR10 Plus Adaptive), High	Weight & dimensions	
technology Dynamic Range 10+ Gaming (HDR10 Plus Gaming), Neo Quantum HDR			Width (with stand)	1227,6 mm
HDR10 Plus Gaming), Neo Quantum HDR Weight (with stand) Quantum HDR Quantum HDR Width (without stand) 1227,6 mm Subtitles function Yes Height (without stand) 1227,6 mm Ambient mode Yes Height (without stand) 706,4 mm 706,2 cm 706,3 cm 706,4 cm 706,2 cm 706,4 cm 706,4 cm 706,2 cm 706,4 cm 706,2 cm 706,4 cm 706,4 cm 706,2 cm 706,4 cm 706,4 cm 706,2 cm 706,4 cm 706,2 cm 706,4 cm 706,2 cm 706,4 cm 706,2 cm 706,2 cm 706,4 cm 706,2			•	
Game mode✓Width (without stand)1227,6 mmSubtitles function✓Depth (without stand)46,1 mmAmbient modeYesHeight (without stand)706,4 mmEco sensor✓Weight (without stand)17,1 kgBrightness detection✓Stand width36,2 cmAl Upscale✓Packaging dataTV key support✓Packaging dataPicture processing technologySamsung Real Depth Enhancer NQ4 Al Gen2Package width1445 mmPicture processorNQ4 Al Gen2Package wight164 mmPackage height828 mmsupported *Package wight25 kgIPv6 support✓Package typeBoxAMD FreeSyncPackaging contentCables includedACRemote control included✓Remote control typeTM2360EE-manual✓Other featuresDurability index7.7Smart calibration✓		(HDR10 Plus Gaming), Neo	-	
Subtitles functionYesDepth (without stand)46,1 mmAmbient modeYesHeight (without stand)706,4 mmEco sensorYesWeight (without stand)17,1 kgBrightness detectionYesStand width36,2 cmAl UpscaleYesStand depth24,4 cmTV key supportYesPackaging data1445 mmPicture processing technologySamsung Real Depth Enhancer Picture processorPackage width1445 mmHigh Dynamic Range (HDR) supportedYesPackage height328 mmIPv6 supportYesPackage weight25 kgAMD FreeSyncYesPackaging contentAMD FreeSyncYesPackaging contentAmount of the picture of the p	Company to	Quantum HDR	3 , ,	
Ambient mode Eco sensor Fightness detection Al Upscale TV key support Picture processing technology Picture processor NQ4 AI Gen2 High Dynamic Range (HDR) supported Flore Support AMD FreeSync AMD FreeSy		•		
Eco sensor		V		
Brightness detection Al Upscale TV key support Picture processing technology Picture processor High Dynamic Range (HDR) supported* IPP Support AMD FreeSync AC AC Remote control included AC Remote control type TM2360E E-manual AC Other features Durability index 7.7 Smart calibration AC Other features		Yes		,
Brightness detection Al Upscale TV key support Picture processing technology Picture processor High Dynamic Range (HDR) support V AMD FreeSync AMD FreeSync TV key support TV key suppor		7	• .	-
Al Upscale TV key support Picture processing technology Picture processor NQ4 Al Gen2 High Dynamic Range (HDR) supported * IPv6 support AMD FreeSync AC Remote control included AC Remote control type TM2360E E-manual AC Other features Durability index 7.7 Smart calibration AC Other features Durability index 7.7	Brightness detection	✓		
Picture processing technology Picture processor High Dynamic Range (HDR) support Peckage High Dynamic Range (HDR) Support Package Weight Package Weight Package type Box Packaging content Cables included Remote control included Remote control type TM2360E E-manual Other features Durability index 7.7 Smart calibration Package width 1445 mm 1445 mm 164 mm 164 mm AC Remote control type TM2360E TM2360E	Al Upscale	✓		
Picture processor High Dynamic Range (HDR) supported * IPv6 support AMD FreeSync Package depth Package weight Package weight Package type Package type Package ontent Cables included Remote control included Remote control type F-manual Other features Durability index Smart calibration Package depth 164 mm	TV key support	✓		1445
High Dynamic Range (HDR) supported *			•	
Package weight 25 kg IPv6 support Package type Box AMD FreeSync Packaging content Cables included AC Remote control included Remote control type TM2360E E-manual Other features Durability index 7.7 Smart calibration Package weight 25 kg Box	·	NQ4 Al Gen2		
IPv6 support AMD FreeSync Package type Packaging content Cables included Remote control included Remote control type E-manual Other features Durability index Smart calibration Package type Box Box AC AC Remote content included ✓ TM2360E E-manual ✓ TM2360E F-manual ✓ Other features Durability index 7.7		✓		
AMD FreeSync Packaging content Cables included AC Remote control included Remote control type TM2360E E-manual Other features Durability index 7.7 Smart calibration AC Remote control included AC Remote control included 7.7 Smart calibration	• •		• •	
Cables included AC Remote control included ✓ Remote control type TM2360E E-manual ✓ Other features Durability index 7.7 Smart calibration ✓				
Remote control included Remote control type TM2360E E-manual Other features Durability index 7.7 Smart calibration ✓	AMD HEEDYIK	•		۸۲
Remote control type TM2360E E-manual Other features Durability index 7.7 Smart calibration ✓				
E-manual Other features Durability index 7.7 Smart calibration				
Other features Durability index 7.7 Smart calibration ✓			**	
Durability index 7.7 Smart calibration ✓				v
Smart calibration			Other features	
			Durability index	7.7
P. W. Construction of the			Smart calibration	✓
Built-in micropnone			Built-in microphone	✓



8806095539287

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.