Lenovo IdeaPad Y550 Intel® Core™2 Duo P8700 Laptop 39,6 cm (15.6") 4 GB DDR3-SDRAM 500 GB HDD NVIDIA® GeForce® GT 240M FreeDOS Black

Brand : Lenovo Product family: IdeaPad Product code: 59025382

Product name: Y550

IdeaPad Y550 - Intel Core 2 Duo P8700 (2.53GHz, 3MB Cache), 4GB DDR3 RAM, 500GB SATA HDD, 15.6" LED (1366x768), GeForce GT 240M 1GB, Gigabit Ethernet, 802.11a/g/n, Webcam, DVD-RW, DOS Lenovo IdeaPad Y550. Product type: Laptop, Form factor: Clamshell. Processor type: Intel® Core™2 Duo, Processor: P8700, Processor frequency: 2,53 GHz. Display diagonal: 39,6 cm (15.6"), Display resolution: 1366 x 768 pixels. Internal memory: 4 GB, Internal memory type: DDR3-SDRAM. Total storage capacity: 500 GB, Storage media: HDD, Optical drives: DVD-RW. Discrete graphics card model: NVIDIA® GeForce® GT 240M. Operating system software: FreeDOS. Product colour: Black





Design		Keyboard	
Product type *	Laptop	Pointing device	Touchpad
Product colour *	Black	Numeric keypad *	✓
Form factor *	Clamshell	Full-size keyboard	✓
Display		Windows keys	✓
Display diagonal *	39,6 cm (15.6")	Software	
Display resolution *	1366 x 768 pixels	Operating system software *	FreeDOS
Fouchscreen *	×		
_ED backlight	✓	Processor special features	
Native aspect ratio	16:9	Intel Wireless Display (WiDi) Technology	×
Display brightness	220 cd/m ²	Intel My WiFi Technology	×
Contrast ratio (typical)	500:1	Intel Smart Connect Technology	×
Processor		Intel Anti-Theft Technology	×
Processor manufacturer *	Intel	Intel® Rapid Start Technology	X
Processor type *	Intel® Core™2 Duo	Intel® Smart Response Technology	×
Processor *	P8700	Intel Identity Protection Technology	
Processor number of cores	2		
Processor threads	2	Intel Hyper-Threading Technology	×
Processor frequency *	2,53 GHz	Intel Turbo Boost Technology	×
Processor cache	3 MB	Intel® Small Business Advantage (Intel® SBA)	×
Processor cache type	L2	,	
Processor socket	Socket 479	Intel Matrix Storage Technology	X
Processor system bus Processor lithography	1066 MHz 45 nm	Intel HD Audio Technology	×
Processor inflography Processor operating modes	64-bit	Intel Active Management Technology	×
Processor series	Intel Core 2 Duo P8000 Series	Enhanced Intel SpeedStep	✓
Processor codename	Penryn	Technology	•
Bus type	FSB	Intel Clear Video HD Technology	X
SB Parity	×	Intel Clear Video Technology	×
Stepping	R0	Intel® InTru™ 3D Technology	×
Thermal Design Power (TDP)	25 W	Intel® Insider™	×
Fjunction	105 °C	Intel® Quick Sync Video Technology	×
Number of Processing Die	410 M	Intel Flex Memory Access	x
Fransistors			

Processor		Processor special features	
Processing die size	107 mm ²	Intel Trusted Execution Technology	✓
CPU multiplier (bus/core ratio)	9,5	Intel Enhanced Halt State	✓
ECC supported by processor Memory	X	Intel VT-x with Extended Page Tables (EPT)	×
•	4 GB	Intel Demand Based Switching	×
Internal memory * Internal memory type	DDR3-SDRAM	Intel Clear Video Technology for MID	×
Memory speed	1066 MHz	Intel 64	✓
Memory form factor	SO-DIMM	Execute Disable Bit	✓
Memory slots	2x SO-DIMM	Idle States	✓
Maximum memory *	8 GB	Thermal Monitoring Technologies	×
Storage		Processor package size	35 x 35 mm
Total storage capacity *	500 GB	Processor code	SLGFE
Storage media *	HDD	Embedded options available	×
Number of HDDs installed	1	Intel Virtualization Technology for	x
Hard drive capacity	500 GB	Directed I/O (VT-d)	
Hard drive interface	SATA	Intel Virtualization Technology (VT-x)	✓
Hard drive rotational speed	5400 RPM	Intel Dual Display Capable	•
Hard drive size	2.5"	Technology	X
Optical drives *	DVD-RW	Intel FDI Technology	×
Card reader integrated	Mamony Stick (MS) MMC MS DDO	Intel Rapid Storage Technology	×
Compatible memory cards	Memory Stick (MS), MMC, MS PRO, SD, xD	Intel Fast Memory Access	×
Graphics		Processor ARK ID	37006
Discrete graphics card model *	NVIDIA® GeForce® GT 240M	Conflict-Free processor	×
Discrete graphics memory type	GDDR3	Battery	
On-board graphics card *	X	Battery technology	Lithium-Ion (Li-Ion)
Discrete graphics card *	··	Number of battery cells	6
On-board graphics card model *	Not available	Battery life (max)	3,5 h
Audio		Power	
Audio system	HD	DC-in jack	1
Number of built-in speakers	2	Security	
Number of built in speakers	4	Security	
Speaker power	4 W	College Inc. Lead of the	
Speaker power Built-in microphone	4 W ✓	Cable lock slot	IDD Constitute Hear
Built-in microphone		Password protection type	✓ HDD, Supervisor, User
Built-in microphone Camera	/	Password protection type Sustainability	HDD, Supervisor, User
Built-in microphone Camera Front camera	*	Password protection type	
Built-in microphone Camera Front camera Front camera resolution (numeric)	/	Password protection type Sustainability	HDD, Supervisor, User
Built-in microphone Camera Front camera	*	Password protection type Sustainability Sustainability certificates	HDD, Supervisor, User
Built-in microphone Camera Front camera Front camera resolution (numeric)	*	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm
Built-in microphone Camera Front camera Front camera resolution (numeric) Network	✓ 1,3 MP	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front)	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection	✓ 1,3 MP ✓ 802.11a, 802.11g, Wi-Fi 4 (802.11n)	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear)	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates	* 1,3 MP * 802.11a, 802.11g, Wi-Fi 4 (802.11n) * 10,100,1000 Mbit/s	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight *	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection	✓ 1,3 MP ✓ 802.11a, 802.11g, Wi-Fi 4 (802.11n)	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear)	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates	* 1,3 MP * 802.11a, 802.11g, Wi-Fi 4 (802.11n) * 10,100,1000 Mbit/s	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight *	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth	* 1,3 MP * 802.11a, 802.11g, Wi-Fi 4 (802.11n) * 10,100,1000 Mbit/s	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity	1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s X	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included *	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports	✓ 1,3 MP ✓ 802.11a, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100,1000 Mbit/s × 2 1 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity *	2 1 1 1 1 1 1 1 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port	7 1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s X 2 1 1 1 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity	7 1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s x 2 1 1 1 1 x 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity Headphone outputs	1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s X 2 1 1 1 1 1 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in	7 1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s X 1 1 1 1 X 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Docking connector	7 1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s X 2 1 1 1 1 X 1 1 X X X	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg
Built-in microphone Camera Front camera Front camera resolution (numeric) Network Wi-Fi Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Ports & interfaces USB 2.0 ports quantity * eSATA/USB 2.0 ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in	7 1,3 MP 802.11a, 802.11g, Wi-Fi 4 (802.11n) 10,100,1000 Mbit/s X 1 1 1 1 X 1	Password protection type Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Manual Power cord included Other features	HDD, Supervisor, User ENERGY STAR 385 mm 255 mm 2,6 cm 3,7 cm 2,75 kg

Ports & interfaces

SmartCard slot

X

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.