

ASUS ROG THOR 1600W Titanium jedinica za napajanje 20+4 pin ATX ATX Crno, Srebro

Brend : ASUS

Kod proizvoda: 90YE00K0-B0NA00

Ime proizvoda : ROG THOR 1600W Titanium

ASUS ROG THOR 1600W Titanium. Ukupna snaga: 1600 W, Ulazni napon izmjenične struje: 100 - 240 V, Kombinirana snaga (+3,3V): 100 W. Poveznik napajanja matične ploče: 20+4 pin ATX, Vrsta kabliranja: Potpuno modularni. Svrha: PC/osobno računalo, Faktor forme uređaja za napajanje (PSU): ATX, Certifikat 80 PLUS: 80 PLUS Titanium. Boja proizvoda: Crno, Srebro, Tip hlađenja: Aktivno, Promjer ventilatora: 13,5 cm. Priloženi kabele: AC, CPU, PCIe, Peripheral (Molex), SATA



Napajanje		Priključci i sučelja	
Ukupna snaga *	1600 W	Vrsta kabliranja	Potpuno modularni
Ulazni napon izmjenične struje *	100 - 240 V	Učinak	
Kombinirana snaga (+3,3V)	100 W	Certifikat 80 PLUS *	80 PLUS Titanium
Kombinirana snaga (+12V)	1600 W	Svrha *	PC/osobno računalo
Kombinirana snaga (+5V)	100 W	Faktor forme uređaja za napajanje (PSU) *	ATX
Kombinirana snaga (-12V)	3,6 W	Dizajn	
Kombinirana snaga (+5Vsb)	15 W	Boja proizvoda	Crno, Srebro
Max output current (+3.3V)	20 A	Tip hlađenja	Aktivno
Max output current (+12V)	133,3 A	Promjer ventilatora	13,5 cm
Max output current (+5V)	20 A	Osvjetljenje	✓
Max output current (-12V)	0,3 A	Prekidač za uključivanje/isključivanje	✓
Max output current (+5Vsb)	3 A	Sadržaj ambalaže	
Funkcije zaštite	Zaštita od prevelike snage, Zaštita od preopterećenja, Prekomjereno zagrijavanje, Zaštita od preopterećenja, Zaštita od kratkog spoja, Zaštita od preniskog napona	Priloženi kabele	AC, CPU, PCIe, Peripheral (Molex), SATA
Priključci i sučelja		Uključene vezice za kabele	✓
Poveznik napajanja matične ploče *	20+4 pin ATX	Certifikati	
Broj SATA poveznika napajanja	12	Potvrde o usklađenosti	CE, Direktiva o niskonaponskoj opremi (LVD), RoHS
Periferni (Molex) naponski konektori (4-pinski) *	6	Težina i dimenzije	
PCI Express poveznik napajanja (6+2 nožice)	10	Širina	190 mm
Priključci za napajanje PCI Express (16-pinski)	1	Dubina	150 mm
P4 poveznik procesora (4 nožice)	2	Visina	86 mm
Poveznik napajanja procesora (4+4 nožice)	✓	Težina	2,69 kg
ATX priključak napajanja (20+4 nožice)	✓	Podaci o ambalaži	
		Težina paketa	2,71 kg

Podaci o ambalaži	
Tip ambalaže	Kutija
Technical details	
Usklađenost s održivošću	✓
Logistički podaci	
Šifra harmoniziranog sustava (HS)	84733020



4711081198390

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.