

Hisense RQ560N4WCF 四门冰箱 变频风冷无霜-智能保鲜 F

Brand : Hisense  
Product code: RQ560N4WCF  
Product name : RQ560N4WCF

Hisense RQ560N4WCF. 变频压缩机: 变频, 制冷系统: LED, 制冷剂: R600a. 冷冻室容积: ST-T, 冷冻室温度范围: 10 °C, 冷藏室温度范围: 43 °C. 冷藏室容积: 294 L, 冷藏室照明: LED. 冷冻室容积: 160 L, 冷冻室温度范围: 变频风冷无霜, 冷冻室耗电量: 6 kg/24h. 冷藏室容积: 80 L



| 主要参数           |       | 主要参数         |           |
|----------------|-------|--------------|-----------|
| 变频压缩机          | 变频    | 变频压缩机+ (变频)  | ✓         |
| 变频系统           | LED   | 变频系统/变频系统 *  | 6         |
| 变频系统           | 变频    | 变频系统 (变频)    | -24 °C    |
| 变频系统           | ✓     | 变频系统         | ✓         |
| 变频系统           |       | 变频-变频系统 (变频) | ✓         |
| 变频系统 *         | ST-T  | Fresh zone   |           |
| 变频系统 *         | ✓     | 变频系统 变频系统    | 80 L      |
| 变频系统 *         | ✗     | 变频系统         |           |
| 变频系统           | ✓     | 变频系统         |           |
| 变频系统           | ✓     | 变频系统         | ✓         |
| 变频系统           | 10 °C | 变频系统/变频系统    | 3         |
| 变频系统           | 43 °C | 变频系统         |           |
| 变频系统           |       | 变频系统         |           |
| 变频系统           | 294 L | 变频系统         | ✓         |
| 变频系统 (变频)      | ✓     | 变频系统         | ✓         |
| 变频系统 (变频)      | ✓     |              |           |
| 变频系统+ (变频)     | ✓     | 变频系统         |           |
| 变频系统-变频系统 (变频) | ✓     | 变频系统         | F         |
| 变频系统           | 4     | 变频系统         | 150 W     |
| 变频系统           | 2     | 变频系统         | 349 kWh   |
| 变频系统           | 6     | 变频系统         | 220-240 V |
|                |       | 变频系统         | 50 Hz     |

| Techniques                              |                           | Technique and Performance |         |
|-----------------------------------------|---------------------------|---------------------------|---------|
| Technique and Performance               | ✓                         | Technique *               | 790 mm  |
| Technique and Performance               | LED                       | Technique *               | 706 mm  |
| Techniques                              |                           | Technique *               | 1817 mm |
|                                         |                           | Technique *               | 102 kg  |
| Technique and Performance               |                           | Technique and Performance |         |
| Technique and Performance *             | 160 L                     | Technique and Performance | 854 mm  |
| Technique and Performance *             | Technique and Performance | Technique and Performance | 763 mm  |
| Technique and Performance *             | 6 kg/24h                  | Technique and Performance | 1900 mm |
| Technique and Performance *             | 14 h                      | Technique and Performance | 110 kg  |
| Technique and Performance *             | 4*                        | Technique and Performance |         |
| Technique and Performance (Technique) * | ✓                         | Technique and Performance |         |
| Technique and Performance (Technique)   | ✓                         | Technique and Performance |         |

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.