

Canon PIXMA MX515 Inkjet A4 4800 x 1200 DPI 9,7 ppm Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 5784B010

Product name : MX515

Canon PIXMA MX515. Tehnologija štampe: Inkjet, Štampanje: Štampanje u boji, Max. rezolucija: 4800 x 1200 DPI, Brzina štampe (u boji, normalan kvalitet, A4/216x279): 5,5 ppm. Kopiranje: Kopiranje u boji. Skeniranje: Skeniranje u boji, Opciona rezolucija skeniranja: 1200 x 2400 DPI. Slanje faksa: Slanje faksova u boji. Maksimalna veličina papira ISO A-serije: A4. Wi-Fi. Dirketno štampanje. Boja proizvoda: Crno



Brzina štampanja		Rukovanje papirom	
Tehnologija štampe *	Inkjet	Veličine fotopapira	10x15,13x18,20x25
Štampanje *	Štampanje u boji	Veličine medijuma za štampanje bez ivica	A4, Pisma
Duplex štampanje *	✓	Težina medija za ležište za papir	64 - 105 g/m ²
Max. rezolucija *	4800 x 1200 DPI	Portovi i interfejsi	
Brzina štampanja (crna, normalan kvalitet, A4/US Letter) *	9,7 ppm	Standardni interfejsi	Ethernet, USB 2.0, Bežični LAN
Brzina štampe (u boji, normalan kvalitet, A4/216x279)	5,5 ppm	Dirketno štampanje *	✓
Kopiranje		USB port	✓
Kopiranje *	Kopiranje u boji	Broj USB 2.0 portova	1
Maksimalni broj kopija	99 kopije	Opciono povezivanje	Bluetooth
Mogućnost promene veličine	25 - 400%	Mreža	
N u 1 copy funkcija (N=)	2, 4	Wi-Fi *	✓
Skeniranje		Ethernet LAN *	✓
Skeniranje *	Skeniranje u boji	Wi-Fi standardi	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Opciona rezolucija skeniranja *	1200 x 2400 DPI	Podržani sigurnosni algoritmi	128-bit WEP, 64-bit WEP, WPA-PSK, WPA2-PSK
Maksimalna površina skeniranja	Legal (216 x 356)	Performanse	
Tip skeniranja *	Ravni skener i skener sa automatskim uvlačenjem papira	Integrirani čitač kartica	✓
Tehnologija skeniranja	CIS	Kompatibilne memorijske kartice	Memory Stick (MS), microSDHC, miniSD, miniSDHC, MMC, MMC+, MS Duo, MS Micro (M2), MS PRO, MS PRO Duo, SD, SDHC
Podržani formati slika	JPG	Nivo zvučnog pritiska (štampanje)	42 dB
Ulazna dubina boja	48 bita	Mac kompatibilnost	✓
Izlazna dubina boja	24 bita	Dizajni	
Nivoi sivog	256	Boja proizvoda *	Crno
Faks		Pozicioniranje na tržištu *	Kuće i kancelarije
Slanje faksa *	Slanje faksova u boji	Ugrađeni ekrani *	✓
Rezolucija faksa (crno-belo)	300 x 300 DPI	Displej	TFT
Brzina slanja faksa	3 s/strana	Menadžment potrošnje	
Brzina modema	33,6 Kbit/s	Potrošnja energije (prosečan rad)	18 W
Faks memorija	50 strana	Potrošnja energije (standbz)	1,7 W
Masovno slanje faksimila (ECM) Mod za ispravljanje grešaka	20 lokacije ✓		

Faks	
Faks sa dvostrukim režimom rada *	
The machine can scan other documents into memory even while sending a fax document from memory	✓
Metod kodiranja faksa	MH, MMR, MR
Karakteristike	
Digitalni pošiljalac	✗
Ulazni i izlazni kapacitet	
Ukupni ulazni kapacitet *	100 stranice
Automatsko umetanje dokumenata (ADF)	✓
Kapacitet ležišta sa Auto Feed funkcijom	30 stranice
Rukovanje papirom	
Maksimalna veličina papira ISO A-serije *	A4
Max. veličina štampe	216 x 356 mm
Tipovi medija za ležište za papir *	Koverta, Sjajni papir, Foto papir, Obični papiri
ISO A-series veličine (A0...A9) *	A4, A5
ISO B-series veličine (B0...B9)	B5
Veličine medijuma za štampanje koje ne pripadaju ISO standardu	Legal format
Veličine koverti	10, DL

Menadžment potrošnje	
Potrošnja energije (isključen)	0,4 W
Ulazni napon naizmenične struje	100 - 240 V
Ulazna frekvencija naizmenične struje	50 - 60 Hz
Sistemski zahtevi	
	Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional
Podržani su Windows operativni sistemi	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Podržani su Mac operativni sistemi	
Minimalni RAM	128 MB
Minimalni procesori	300
Radni uslovi	
Radni opseg vlažnosti	10 - 90%
Raspon radne temperature (T-T)	5 - 35 °C
Težina i dimenzije	
Širina	458 mm
Dubina	385 mm
Visina	200 mm
Težina	8,8 kg
Ostale karakteristike	
PictBridge	✓
Sve u jednom funkcije	Kopiranje, Faks, Štampa, Skeniranje
Колор све-у-један функција	Kopiranje, Faks, Štampa, Skeniranje

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.