



## Canon i-SENSYS MF4410 Laser A4 1200 x 600 DPI 23 ppm

**Brand :** Canon

**Product family:** i-SENSYS

**Article code:** 4509B043

**Product name :** MF4410

i-SENSYS MF4410 - 23 ppm (A4), 600 x 600 dpi, USB 2.0, 64 MB, LCD, 10.3 Kg

Canon i-SENSYS MF4410. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 600 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Color scanning, Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Product color: Black



### Printing

Print technology *	Laser
Printing *	Mono printing
Duplex printing *	✗
Maximum resolution *	1200 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	23 ppm
Warm-up time	10 s
Time to first page (black, normal)	6 s
Print margins (top, bottom, right, left)	0.197" (5 mm)
Economical printing	✓

### Copying

Duplex copying *	✗
Copying *	Mono copying
Maximum copy resolution *	600 x 600 DPI
Copy speed (black, normal quality, A4)	23 cpm
Time to first copy (black, normal)	9 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function (N=)	2, 4

### Scanning

Duplex scanning *	✗
Scanning *	Color scanning
Optical scanning resolution *	600 x 600 DPI
Maximum scan resolution	9600 x 9600 DPI
Scanner type *	Flatbed scanner
Input color depth	24 bit
Output color depth	24 bit
Grayscale levels	256

### Fax

Duplex faxing	✗
---------------	---

### Paper handling

Envelopes sizes	10, B5, C5, DL
Custom media width	2.99 - 8.5" (76 - 216 mm)
Custom media length	8.27 - 14" (210 - 356 mm)
Paper tray media weight	60 - 163 g/m <sup>2</sup>
Multi-Purpose Tray media weight	60 - 163 g/m <sup>2</sup>

### Ports & interfaces

Standard interfaces	USB 2.0
Direct printing *	✗
USB port	✓
USB 2.0 ports quantity	1

### Network

Wi-Fi *	✗
Ethernet LAN *	✗

### Performance

Card reader integrated	✗
Internal memory *	64 MB
Sound pressure level (printing)	43 dB
Sound pressure level (copying)	43 dB
Sound pressure level (scanning)	43 dB
Mac compatibility	✓

### Design

Product color *	Black
Market positioning *	Home & office
Built-in display *	✓
Display	LCD
Touchscreen	✗
Display number of lines	5 lines

### Power

Power consumption (average operating)	500 W
Power consumption (standby)	3 W

Fax		Power	
Faxing *	✗	AC input voltage	220 - 240 V
Features		AC input frequency	50 - 60 Hz
Maximum duty cycle *	8000 pages per month	Operational conditions	
Digital sender	✗	Operating relative humidity (H-H)	20 - 80%
Number of print cartridges *	1	Operating temperature (T-T)	10 - 30 °C
Printing colors *	Black	Weight & dimensions	
Page description languages	UFRII-LT	Width	15.4" (390 mm)
Input & output capacity		Depth	16.3" (414 mm)
Total input capacity *	250 sheets	Height	11.9" (301 mm)
Total output capacity *	100 sheets	Weight	22.7 lbs (10.3 kg)
Paper input type	Paper tray	Packaging content	
Manual feeder	✓	Drivers included	✓
Paper handling		Bundled software	Presto! Page Manager, MF Toolbox
Maximum ISO A-series paper size *	A4	Other features	
Maximum print size	210 x 297 mm	Compatible operating systems	Windows 7/2000/ XP/ Vista, Mac OS X 10.4.9 - 10.6.x, Linux
Paper tray media types *	Labels, Plain paper, Recycled paper, Transparencies	All-in-one functions	Copy, Print, Scan
ISO A-series sizes (A0...A9) *	A4, A5	Color all-in-one functions	Scan
ISO B-series sizes (B0...B9)	B5		



4960999668215

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.