

## DELL S Series S2721QS computer monitor 68,6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : DELL Product family: S Series Product code: DELL-S2721QS

**Product name:** S2721QS

- 68.6cm (27") 4K Ultra HD 3840 x 2160 W-LED IPS
- 4ms, 16:9, 350cd/m<sup>2</sup>, 1300:1
- HDMI, DisplayPort

 $68.6 cm~(27")~4 K~Ultra~HD~3840~x~2160~W-LED~IPS,~16:9,~350 cd/m^2,~1.07 B,~4 ms,~178°/178°,~1300:1~100 cm^2,~1.07 B,~2 ms,~2 ms,~$ 

DELL S Series S2721QS computer monitor 68,6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black:

27" lifestyle-inspired 4K UHD monitor that supports HDR content playback for an amazing entertainment experience.

DELL S Series S2721QS. Display diagonal: 68.6 cm (27"), Display resolution:  $3840 \times 2160 \text{ pixels}$ , HD type: 4K Ultra HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black





Display		Power	
Display diagonal *	68,6 cm (27")	Energy efficiency class (SDR) *	G
Display resolution *	3840 x 2160 pixels	Energy efficiency class (HDR) *	G
HD type * Native aspect ratio *	4K Ultra HD 16:9	Energy consumption (SDR) per 1000 hours *	29 kWh
Display technology * Panel type *	LCD IPS	Energy consumption (HDR) per 1000 hours *	34 kWh
Backlight type	W-LED	Power consumption (typical) *	28,8 W
· · · ·		Power consumption (standby) *	0,2 W
Touchscreen *	X	Power consumption (max)	52 W
Display brightness (typical)	350 cd/m²	Power consumption (off)	0,2 W
Response time *	4 ms	AC input voltage	100 - 240 V
Screen shape *	Flat	AC input frequency	50 - 60 Hz
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1280, 2560 x	Input current	1.5 A
		Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	346947
	1440, 3840 x 2160	Annual energy consumption	39 kWh
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Operational conditions	
Contrast ratio (typical) *	1300:1	Operating temperature (T-T)	0 - 40 °C
Maximum refresh rate *	60 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewing angle, horizontal	178°	Operating relative humidity (H-H)	10 - 80%
Viewing angle, vertical	178°	Storage relative humidity (H-H)	5 - 90%
Display number of colours *	1.07 billion colours	Operating altitude	0 - 5000 m
Response time (fast)	5 ms	Non-operating altitude	0 - 12192 m
Pixel pitch	0,1554 x 0,1554 mm	Weight & dimensions	
Pixel density	163 ppi	9	611.6
Horizontal scan range	130 - 137 kHz	Width (with stand)	611,6 mm
Vertical scan range	40 - 60 Hz	Depth (with stand)	174,7 mm
Viewable size, horizontal	59,7 cm	Height (with stand) Weight (with stand)	510,1 mm 6,4 kg

Display		Weight & dimensions	
Viewable size, vertical Colour gamut standard sRGB coverage (typical)	33,6 cm sRGB 99%	Width (without stand) Depth (without stand) Height (without stand)	611,6 mm 55,4 mm 364,6 mm
Performance	3370	Weight (without stand)	4,7 kg
		Bezel width (side)	7,4 mm
NVIDIA G-SYNC *	X	Bezel width (top)	7,4 mm
AMD FreeSync *	<b>✓</b>	Bezel width (bottom)	2,16 cm
Flicker-free technology	✓ ✓	Packaging data	
Low Blue Light technology	•	Package width	139,9 mm
Multimedia		Package depth	819,9 mm
Number of speakers	2	Package height Package weight	446,8 mm 9,2 kg
RMS rated power  Built-in speaker(s) *	6 W		9,2 kg
Built-in camera *		Packaging content	
	X	Stand included	✓
Design		Cables included	AC, HDMI
Market positioning *	Home	Sustainability	
Product colour * Front bezel colour	Black Black	Sustainability certificates	ENERGY STAR
Detachable stand	✓	Carbon footprint	
Feet colour	Grey	Total carbon footprint (kg of CO2e)	624
Ports & interfaces	,	Total carbon emissions, standard deviation (kg of CO2e)	107
Built-in USB hub *	×	Carbon emissions, manufacturing (kg of CO2e)	358,02
DVI port HDMI *	× •	Carbon emissions, logistics (kg of CO2e)	47,6
HDMI ports quantity HDMI version	2 2.0	Carbon emissions, energy usage (kg of CO2e)	215
DisplayPorts quantity DisplayPort version	1 1.2	Carbon emissions, end-of-life (kg of CO2e)	2,63
Audio input	X	Total carbon emissions, w/o use phase (kg of CO2e)	409
Audio output	<b>✓</b>	PAIA version	1.2.15, 2021
Headphone out *	×	Other features	
AC (power) in	<b>✓</b>	Heavy metals free	Hg (mercury)
Ergonomics		Compliance certificates	RoHS
VESA mounting *	<b>✓</b>	Logistics data	
Panel mounting interface	100 x 100 mm	Harmonized System (HS) code	85285210
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	11 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	<b>✓</b>		
Swivel angle range	-30 - 30°		
Tilt adjustment	<b>✓</b>		
Tilt angle range On Screen Display (OSD)	-5 - 21° ✓		
LED indicators	Power		
LLD Mulcutors	TOWCI		



5397184409435

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.